

ZGJOIB TAG WART REMOVER- salicylic acid cream
Shenzhen Deshijian Medical Equipment Co., Ltd

Active ingredient

Active ingredient:Salicylic acid 17%

Inactive ingredient

WaterPolyethylene Glycol- .Glycerin.Borneol.
Podofilox

Keep out of reach of children

Keep out of reach of children. If swallowedget medical help or contact the PoisonControl Center(1-800-222-1222)right away

Purpose section

USE FOR
Corns
Calluses
Flat warts
Plantar warts
Common warts

Warnings

Warnings:For external use only. Flammable.Keep away from fire and flame.

Dosage

Wash the affected area.May soak wart in warm water for 5 minutesDry area thoroughly.Use a brush to apply a sufficientamount to cover each wart. Let it dry.Repeat this procedure once or twice dailyas needed (until wart is removed) for upto 12 weeks.

Do not use

Do not use:On irritated skin, or on any area that isinfected or reddened. On moles, birthmarkswarts with hair growing from them, genitalwarts, or warts on the face or mucousmembranes. Ifyou have diabetes or poorblood circulation.

When Using

When Using This Product: Avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Directions

Directions

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Use a brush to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Other information: Store at room temperature. Avoid excessive heat (37°C /99°F). Skin discoloration may occur during or after use.

85741-001-01

ZGjoib

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.
Directions
Wash the affected area.
May soak wart in warm water for 5 minutes.
Dry area thoroughly.
Use a brush to apply a sufficient amount to cover each wart. Let it dry.
Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.
Other information
Store at room temperature.
Avoid excessive heat (37°C /99°F).
Skin discoloration may occur during or after use.
Inactive ingredients:
Water.....52.5%
Polyethylene Glycol.....16%
Glycerin.....8%
Borneol.....6%
Podofilox.....0.5%

Shenzhen Deshjian Medical Equipment Co., Ltd.
205-E2, Building C, No. 101 Fukang Road,
Henggang Community, Henggang Street,
Longgang District, Shenzhen

ZGjoib

**TAG&WART
REMOVER**



USE FOR
✓ Corns
✓ Calluses
✓ Flat warts
✓ Plantar warts
✓ Common warts

100%
plant extract

NET: 1 FL OZ (30ml)

Drug Facts
Active Ingredient: Salicylic acid 17%
Purpose: Wart remover
Uses:
For the removal of common warts and plantar warts.
Common warts have a rough, "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.
Warnings:
For external use only. Flammable. Keep away from fire and flame.
Do not use:
On irritated skin, or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.
When Using This Product:
Avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.

ZGjoib

**TAG&WART
REMOVER**



USE FOR
✓ Corns
✓ Calluses
✓ Flat warts
✓ Plantar warts
✓ Common warts

100%
plant extract

NET: 1 FL OZ (30ml)

ZGJOIB TAG WART REMOVER

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85741-001	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	1.7 g in 10 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
BORNEOL (UNII: M89NIB437X)				
PODOFILOX (UNII: L36H50F353)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85741-001-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M028	06/12/2025	

Labeler - Shenzhen Deshijian Medical Equipment Co., Ltd (445663410)

Registrant - Shenzhen Deshijian Medical Equipment Co., Ltd (445663410)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shenzhen Deshijian Medical Equipment Co., Ltd		445663410	label(85741-001) , manufacture(85741-001)	