LIDOCAINE 4% PATCH- lidocaine 4% patch Oncora Pharma, LLC

Lidocaine 4% Topical Patch

Active Ingredients

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

Temporarily relieves pain and itching associated with: minor burns, sunburn, minor cuts, scrapes, insect bites, minor skin irritations.

Warnings

For external use only

Do not use:

- More than 1 patch at a time
- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

When using this product:

- Use only as directed
- Avoid contact with the eyes, mucous membranes, or rashes
- Do not bandage tightly

Stop use and ask a doctor if:

- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age or over:

Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time.

- Clean and dry the affected area
- Open pouch and remove one patch
- Remove any protective film and apply directly to affected area of pain
- Apply immediately after the removal of the protective envelope
- Wash hands with soap and water after handling the patches
- Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope.
- Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them.

Children under 12 years of age:Ask a physician


Other Information

Store at room temperature 15° - 30° C (59° - 86° F)

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Other Ingredients

Acrylic Adhesive, Flaxseed oil, and Polysorbate 80



| LIDOCAINE 4% PATC lidocaine 4% patch | CH | | | | |
|---|-----------------|--------------------------|------------|--------------|------------|
| Product Information | | | | | |
| Product Type | HUMAN OTC DRUG | ltem Cod | e (Source) | NDC | :85477-302 |
| Route of Administration | TOPICAL | | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |
| Ingred | | Basis of Strength | | Strength | |
| LIDOCAINE (UNII: 98PI200987) (LI | | LIDOCAINE | | 40 mg in 1 g | |
| | | | | | |
| Inactive Ingredients | | | | | |
| | Ingredient Name | | | Strength | |
| FLAX SEED (UNII: 4110YT348C) | | | | | |
| POLYSORBATE 80 (UNII: 60ZP39 | ZG8H) | | | | |
| ACRYLIC ACID (UNII: J94PBK7X8S |) | | | | |
| | | | | | |
| Product Characteristics | | | | | |

| Color | | | | | | | |
|--------------------|-----------------------|--|-------------------------|---------------------|-----------------------|--|--|
| Shape | | RECTANGLE (White Flexible Patch) | | Size | | | |
| Flavor | | | | | Imprint Code | | |
| Contains | | | | | | | |
| | | | | | | | |
| D - | | | | | | | |
| Pà | ackaging | | | | | | |
| # | Item Code | Package Description | Marketing Start Date | | Marketing End Date | | |
| 1 | NDC:85477-302- 10 | 10 in 1 BOX | 06/11/2025 | | | | |
| 1 | | 1 g in 1 POUCH; Type 0: Not a Combination Product | | | | | |
| | | | | | | | |
| | | | | | | | |
| Μ | larketing l | nformation | | | | | |
| | Marketing Category | Application Number or Monograph Citation | Mark | eting Start Date | Marketing End Date | | |
| OTC Monograph Drug | | M017 | 06/11/2025 | | | | |
| | | | | | | | |

Labeler - Oncora Pharma, LLC (119482542)

Revised: 6/2025

Oncora Pharma, LLC