

LIDOCAINE 4% PATCH- lidocaine 4% patch
Oncora Pharma, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Lidocaine 4% Topical Patch

Active Ingredients

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

Temporarily relieves pain and itching associated with: minor burns, sunburn, minor cuts, scrapes, insect bites, minor skin irritations.

Warnings

For external use only

Do not use:

- More than 1 patch at a time
- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

When using this product:

- Use only as directed
- Avoid contact with the eyes, mucous membranes, or rashes
- Do not bandage tightly

Stop use and ask a doctor if:

- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age or over:

Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time.

- Clean and dry the affected area
- Open pouch and remove one patch
- Remove any protective film and apply directly to affected area of pain
- Apply immediately after the removal of the protective envelope
- Wash hands with soap and water after handling the patches
- Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope.
- Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them.

Children under 12 years of age:Ask a physician


Other Information

Store at room temperature 15° - 30° C (59° - 86° F)

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Other Ingredients

Acrylic Adhesive, Flaxseed oil, and Polysorbate 80



Drug Facts	
Active Ingredient Lidocaine 4%	Purpose External Anesthetic
Uses Temporarily relieves pain and itching associated with: minor burns, sunburn, minor cuts, scrapes, insect bites, minor skin irritations	
INACTIVE INGREDIENTS Acrylic Adhesive, Flaxseed oil, and Polysorbate 80	
OTHER INFORMATION Store at room temperature 15°-30°C (59°-86°F) Avoid storing product in direct sunlight and protect product from excessive moisture.	
DIRECTIONS Adults and children 12 years of age and older: Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time. <ul style="list-style-type: none"> • Clean and dry the affected area. • Open pouch and remove one patch. • Remove any protective film and apply directly to affected area of pain. • Apply immediately after removal from the protective envelope. • Wash hands with soap and water after handling the patches. • Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope. • Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them. 	
CHILDREN UNDER 12 YEARS: ASK A PHYSICIAN	
WARNINGS For external use only. Do not use <ul style="list-style-type: none"> • More than one patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product Allergy Alert: if you are allergic to any inactive ingredient of this product, contact a doctor before use. Stop use and ask a physician: <ul style="list-style-type: none"> • If pregnant or breast feeding • If localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling, and blistering • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician. Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.	

85477-0302-10

LIDOCAINE 4% PATCH™

10 COUNT



Distributed by:
Oncora Pharma
Dallas, TX 75161
© 2025 Oncora Pharma



LIDOCAINE 4% PATCH

lidocaine 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85477-302
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
FLAX SEED (UNII: 4110YT348C)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ACRYLIC ACID (UNII: J94PBK7X8S)	

Product Characteristics

Color		Score	
Shape	RECTANGLE (White Flexible Patch)	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85477-302-10	10 in 1 BOX	06/11/2025	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/11/2025	

Labeler - Oncora Pharma, LLC (119482542)

Revised: 6/2025

Oncora Pharma, LLC