

**MEIJER EXTRA STRENGTH FRESHMINT FLAVOR- calcium carbonate
,magnesium hydroxide tablet, chewable
MEIJER DISTRIBUTION INC**

Meijer Extra Strength Antacid Tablets Freshmint Flavor

Drug Facts

Active ingredients

(in each tablet)

Calcium Carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

Purpose

Antacid

Antacid

Uses

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period,
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets completely as symptoms occur or as directed by a doctor. Do not swallow tablets whole.

Other information

- **each tablet contains:**calcium 270 mg, magnesium 55 mg
- store at room temperature

- Avoid high humidity.

Inactive ingredients

corn starch, dextrose, flavor, magnesium stearate, maltodextrin, sucralose.

Questions?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

Meijer ®

NDC# 41250-978-10

Compare to Roloids® Extra Strength active ingredients*

Antacid Tablets

Calcium Carbonate USP 675 mg

Magnesium Hydroxide USP 135 mg

Extra Strength

Freshmint Flavor

Naturally and Artificially Flavored

Relieves: Heartburn, Acid Indigestion

100 CHEWABLE TABLETS

GLUTEN FREE

K PAREVE

OUR QUALITY GURANTEE

WWW.MEIJER.COM/SATISFACTION

| |
|--|
| TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING |
|--|

*This product is not manufactured or distributed by Chattem Inc., owner of the registered trademark Roloids®

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

meijer

Compare to Rolaids®
Extra Strength
active ingredients

antacid tablets

Calcium Carbonate USP 675 mg
Magnesium Hydroxide USP 135 mg

Extra Strength

Freshmint Flavor

Naturally and Artificially Flavored

Relieves: Heartburn,
Acid Indigestion

100 Chewable Tablets



Drug Facts

Active ingredients (in each tablet)
Calcium carbonate USP 675mg.....Antacid
Magnesium hydroxide USP 135mg.....Antacid

Uses relieves: ■ heartburn ■ sour stomach
■ acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

■ do not take more than 10 tablets in a 24-hour period
■ do not use the maximum dosage for more than 2 weeks.

Keep out of reach of children.

Directions

■ chew 2-4 tablets completely as symptoms occur or as directed by a doctor. Do not swallow tablets whole.

Other information

■ each tablet contains: calcium 270 mg, magnesium 55 mg
■ store at room temperature. Avoid high humidity

Inactive ingredients corn starch, dextrose, flavor, magnesium stearate, maltodextrin, sucralose

Questions? 1-866-467-2748

As a daily source of calcium and magnesium, chew 2 tablets, completely twice daily

Supplement Facts

Serving Size 2 Tablets
Servings Per Container 50

| Amount Per Serving | %Daily Value |
|---------------------------|--------------|
| Calories | 8 |
| Total Carbohydrate | 2 g 1%* |
| Total Sugars | 2 g † |
| Includes 2 g Added Sugars | 4%* |
| Calcium | 540 mg 42% |
| Magnesium | 110 mg 26% |

*Percent Daily Values (DV) are based on a 2,000 calorie diet.
† Daily Value not established.

Other ingredients: Dextrose, corn starch, maltodextrin, magnesium stearate, flavor, sucralose.

*This product is not manufactured or distributed by Chattem Inc., owner of the registered trademark Rolaids®.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

GLUTEN FREE



LOT: 107ESFM100MJRLR

EXP:

Unvarnished Area
Do Not Print

MEIJER EXTRA STRENGTH FRESHMINT FLAVOR

calcium carbonate ,magnesium hydroxide tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41250-978 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------|----------|
| CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM CARBONATE | 675 mg |
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM HYDROXIDE | 135 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| STARCH, CORN (UNII: O8232NY3SJ) | |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 16mm |
| Flavor | MINT | Imprint Code | RP107 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:41250-978-10 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/18/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M001 | 04/18/2019 | |

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 10/2025

MEIJER DISTRIBUTION INC