OPTASE- glycerin solution/ drops Scope Health Inc

Optase Hylo Forte

Keep out of reach of children. If swallowed get medical help or contact a poison control center right away.

0.3 % glycerin

Eye Lubricant

Inactive Ingredients Borax, Boric Acid, Citric Acid anhydrous, Sodium Chloride, Sodium Citrate Dihydrate, Sodium Hyaluronate, water.

Directions:

Put one or two drops in the affected eyes as needed.

Warning

- For external use only.
- If solution changes color or becomes cloudy, do not use.
- To avoid contamination, do not touch tip of container to any surface. Replace cap after using.


Stop use and ask doctor if

- You feel eye pain.
- Changes in vision occur.
- Redness or irritation of the eye lasts.
- Condition worsens or lasts more than 72 hours.

Uses

- For use as a lubricant to prevent further irritation.
- May be used as a protectant against further irritation.
- To relieve dryness of the eye.

Immediate Label





Name:

Date of first use:

Extra Hydrating Dry Eye Therapy Drops



Use within six months from opening the bottle.

Use by the expiry date, see stamp on the bottle.

No ingredients of animal origin.



Unique Bottle One Click = One Drop









Please see instructions inside or scan the QR code for a video guide

OPTASE®



Extra Hydrating Dry Eye Therapy Drops





PRESERVATIVE FREE

EXTRA MOISTURIZING dry eye relief that lasts







Ideal for Compatible frequent use

0.33 fl oz (10 ml) Sterile SCOPE



♦x300

DROPS

OPTASE® HYLO FORTE®



Suffer from dry, sore eyes on waking?



Try OPTASE® **HYLO NIGHT®** Dry Eye ointment before bedtime for relief during the night.





Manufactured for Scope Health Inc. 79 Madison Ave. 8th Floor, New York, NY 10016, USA Questions: +1 917 7954227 www.optase.com

hello@optase.com

Product of Germany

Drug Facts

Active Ingredient 0.3 % Glycerin

Purpose Eye Lubricant

Uses

- For use as a lubricant to prevent further irritation.
- May be used as a protectant against further irritation.
- To relieve dryness of the eye.

Warning

- For external use only.
- If solution changes color or becomes cloudy, do not use.
- To avoid contamination, do not touch tip of container to any surface. Replace cap after

Stop use and ask doctor if

- You feel eye pain
- Changes in vision occur.
- Redness or irritation of the eye lasts.
- Condition worsens or lasts more than 72 hours.

Keep out of reach of children. If swallowed get medical help or contact a poison control center right away.

Directions

Put one or two drops in the affected eyes as

Other Information

- Use only if tamper evidence seal on the lid is
- Do not store above 25°C/77°F

Inactive Ingredients

Borax, Boric Acid, Citric Acid anhydrous, Sodium Chloride, Sodium Citrate Dihydrate, Sodium Hyaluronate, water.



LOT

OPTASE

glycerin solution/ drops

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72972-008

Route of Administration

OPHTHALMIC

Active Ingredient/Active Moie	ty
--------------------------------------	----

Ingredient Name		Basis of Strength	Strength
	GLYCFRIN (LINII: PDC6A3C0OX) (GLYCFRIN - LINII: PDC6A3C0OX)	GLYCERIN	0.3 mg in 1 ml

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM BORATE (UNII: 91MBZ8H3QO)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
BORIC ACID (UNII: R57ZHV85D4)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
HYALURONATE SODIUM (UNII: YSE9PPT4TH)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72972- 008-01	1 in 1 BOX	06/13/2025	
1		10 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		

Marketing In	formation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	06/13/2025	

Labeler - Scope Health Inc (116778693)

Revised: 6/2025 Scope Health Inc