

**0.025% CAPSAICIN PAIN RELIEF PATCH- capsaicin pain relief patch, capsaicin pain relief strip patch**


**Xuzhou Lanting Pharmaceutical Co., Ltd**

**85323-005, 0.025% Capsaicin Pain relief Patch**

**0.025% Capsaicin Pain relief Patch, Package NDC Code: 85323-005-01**

0.025% Capsaicin Pain relief Patch, Package NDC Code: 85323-005-01

C M Y K



Compare to the active ingredient in Salonpas® - Hot Capsicum Patch®

TOPICAL ANALGESIC

**CAPSAICIN HEAT PATCH**

Temporary Relief of Minor Aches & Pains of Muscles & Joints Associated with:

Arthritis  
Backaches  
Bruises  
Strains  
Sprains

2 Patches/Pouch  
5.12 IN x 7.09 IN  
(13cm x 18cm)

Compare to the active ingredient in Salonpas® - Hot Capsicum Patch®

TOPICAL ANALGESIC

**CAPSAICIN HEAT PATCH**

**Drug Facts**

Active Ingredient	Purpose
Capsicum Extract Capsaicin 0.025%	Topical Analgesic

**Uses**  
For temporary relief of minor aches and pains of muscles & joints associated with:  
• Simple Backache • Arthritis • Strains • Bruises • Sprains

**WARNINGS: EXTERNAL USE ONLY**

**DO NOT USE**  
• on wounds or damaged skin  
• with a heating pad  
• with or at the same times as other external analgesic  
• if you are allergic to any ingredients of this product

**When using this product**  
• do not use otherwise than as directed  
• avoid contact with the eyes, mucous membranes or rashes  
• do not bandage tightly  
• discontinue use at least 1 hour before a bath or shower  
• do not use immediately after a bath or shower

**STOP USE and ask a doctor if**  
• rash, itching or excessive skin irritation develops  
• conditions worsen  
• symptoms persist for more than 7 days  
• symptoms clear up and occur again within few days

**If pregnant or breast-feeding**, ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**DIRECTIONS**  
**Adults and Children 12 years of age and over:**  
• Clean and dry affected area  
• Remove patch from film  
• Apply to affected area not more than 3 to 4 times daily  
• Remove patch from skin after at most 8 hours of application  
**Children under 12 years of age: Consult a doctor.**

**Other Information**  
• Avoid storing product in direct sunlight  
• Protect product from excessive moisture

**Inactive Ingredients**  
Glycerin, Sodium Polycrylate, Dihydroxyaluminum Aminoacetate Anhydrous, Edetate Disodium, Kaolin, Propylene Glycol, Polysorbate 80, Carboxymethylcellulose Sodium, Carbomer, Purified Water, POVIDONE K90, Tartaric Acid, DMDM Hydantoin

**Manufacturer**  
Xinhua Leiqing Pharmaceutical Co., Ltd  
A1001, Wenhua Healthcare Park, No.18, Zhenbei Road, Malingzhan Town, Xinyi, Xizhou city, Jiangsu, China 221460

LOT:  
EXP:

黑 专兰 专绿 专红 兰 红 黄 专底 白  
按以前 按以前 按以前 按以前 按以前

## Active Ingredient

Active Ingredient: 0.025% Capsaicin

## Purpose

Purpose: Topical anesthetic

## Warnings

Warnings: For external use only

## Do not use

- on wounds or damaged skin
- with a heating pad
- with or at the same times as other external analgesic
- if you are allergic to any ingredients of this product

## When using this product

- do not use otherwise than as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower

## Stop use and ask a doctor if

- rash, itching or excessive skin irritation develops
- condition worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

## Uses

For temporary relief of minor aches and pains of muscles & joints associated with:

- Simple Backache
- Arthritis
- Strains
- Bruises
- Sprains

## Other information

### Other Information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

## Inactive Ingredients

Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate Anhydrous, Edetate Disodium, Kaolin, Propylene Glycol, Polysorbate 80, Carboxymethylcellulose Sodium, Carbomer, Purified Water, POVIDONE K90, Tartaric Acid, Dmdm Hydantoin.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

For temporary relief of minor aches and pains of muscles & joints associated with:

- Simple Backache
- Arthritis
- Strains
- Bruises
- Sprains

## Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove patch from film
- Apply to affected area not more than 3 to 4 times daily
- Remove patch from skin after at most 8 hours of application

**Children under 12 years of age: consult a doctor.**

## Directions

### Adult and children 12 years of age and over:

- Clean and dry affected area

- Remove patch from film
- Apply to affected area not more than 3 to 4 times daily
- Remove patch from skin after at most 8 hours of application

**Children under 12 years of age: consult a doctor.**

## 0.025% CAPSAICIN PAIN RELIEF PATCH

capsaicin pain relief patch, capsaicin pain relief strip patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85323-005
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAPSAICIN</b> (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CARBOMER 934</b> (UNII: Z135WT9208)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	

### Product Characteristics


<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85323-005-01	24 in 1 BOX	06/10/2025	

1	2 in 1 POUCH		
1	6.65 g in 1 PATCH; Type 0: Not a Combination Product		

C M Y K



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/10/2025	

**Labeler** - Xuzhou Lanting Pharmaceutical Co., Ltd (457641059)

**Registrant** - Xuzhou Lanting Pharmaceutical Co., Ltd (457641059)

## Establishment

Name	Address	ID/FEI	Business Operations
Xuzhou Lanting Pharmaceutical Co., Ltd		457641059	manufacture(85323-005)

Revised: 6/2025

Xuzhou Lanting Pharmaceutical Co., Ltd