

**ARTISTRY HYDRA V SHEER WEIGHTLESS FOUNDATION PLUSH L3C1-  
octinoxate, zinc oxide cream  
Amway Corp**

-----  
**Artistry Hydra-V™ Sheer Weightless Foundation Shade Plush - L3C1**

***Drug Facts***

***Active Ingredients***

Octinoxate 4% (W/W P/P)

Zinc Oxide 2.74% (W/W P/P)

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn

***Warnings***

**For external use only.**

**Do not use**

on broken or damaged skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: **Sun Protection Measures.**

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

### ***Other Information***

- Protect this product from excessive heat and direct sun

### ***Inactive ingredients***

WATER/AQUA/EAU, DIMETHICONE, DIPHENYLSILOXY PHENYL TRIMETHICONE, NEOPENTYL GLYCOL DIHEPTANOATE, MICA (CI 77019), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SILICA, TRIMETHYLSILOXYPENYL DIMETHICONE, CYCLOPENTASILOXANE, PENTYLENE GLYCOL, PROPANEDIOL, GLYCERIN, C12-15 ALKYL BENZOATE, DIPHENYL DIMETHICONE, SYNTHETIC FLUORPHLOGOPITE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, ETHYLHEXYL PALMITATE, LECITHIN, HYDROXYACETOPHENONE, DISTEARDIMONIUM HECTORITE, POLYSILICONE-11, ALUMINA, POLYSORBATE-20, SODIUM CHLORIDE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, ALCOHOL DENAT, PEG/PPG-18/18 DIMETHICONE, ISOCETETH-10, TRISILOXANE, TRIETHOXYCAPRYLYLSILANE, HYDROGEN DIMETHICONE, PHENOXYETHANOL, DISODIUM EDTA, SODIUM HYALURONATE, BUTYLENE GLYCOL, EUTERPE OLERACEA FRUIT OIL, LAURETH-12, DIPROPYLENE GLYCOL, BHT, TOCOPHEROL, CHLORPHENESIN, GLYCINE SOJA (SOYBEAN) OIL, CERAMIDE NP, LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, BETA-SITOSTEROL, PROPYLENE GLYCOL, PERILLA OCYMOIDES SEED OIL, SALVIA HISPANICA SEED OIL, OENOTHERA BIENNIS (EVENING PRIMROSE) OIL, TETRAHEXYLDECYL ASCORBATE. MAY CONTAIN / PEUT CONTIENIR +/- IRON OXIDES (CI 77491, 77492, 77499), TITANIUM DIOXIDE (CI 77891).

### **Package Labeling:**

**Inactive ingredients/Ingrédients inactifs/Ingredientes inactivos:**

WATER/AQUA/EAU, DIMETHICONE, DIPHENYLSILOXY PHENYL TRIMETHICONE, NEOPENTYL GLYCOL DIHEPTANOATE, MICA (CI 77019), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SILICA, TRIMETHYLSILOXYPHENYL DIMETHICONE, CYCLOPENTASILOXANE, PENTYLENE GLYCOL, PROPANEDIOL, GLYCERIN, C12-15 ALKYL BENZOATE, DIPHENYL DIMETHICONE, SYNTHETIC FLUORPHLOGOPITE, HDX-TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, ETHYLHEXYL PALMITATE, LECITHIN, HYDROXYACETOPHENONE, DISTEARDIMONIUMHECTORITE, POLYSILOXANE-11, ALLUMINA, POLYSORBATE-20, SODIUM CHLORIDE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, ALCOHOL DENAT, PEG/PPG-18/18 DIMETHICONE, ISOCETETH-10, TRISILOXANE, TRIETHOXYCAPRYLYLSILANE, HYDROGEN DIMETHICONE, PHENOXYETHANOL, DISODIUM EDTA, SODIUM HYALURONATE, BUTYLENE GLYCOL, EUTERPE OLEACEA FRUIT OIL, LAURETH-12, DIPROPYLENE GLYCOL, BHT, TOCOPHEROL, CHLORPHENESIN, GLYCINE SOJA (SOYBEAN) OIL, CERAMIDE NP, LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, BETA-SITOSTEROL, PROPYLENE GLYCOL, PERILLA OCYMOIDES SEED OIL, SALVIA HISPANICA SEED OIL, OENOTHERA BIENNIS (EVENING PRIMROSE) OIL, TETRAHEXYLDECYL ASCORBATE, MAY CONTAIN / PEUT CONTENIR +/- IRON OXIDES (CI 77491, 77492, 77499), TITANIUM DIOXIDE (CI 77891).



**ARTISTRY  
HYDRA-V**

Sheer Weightless  
Foundation

SPF 15 Broad Spectrum  
Sunscreen Cream

Fond de Teint Léger  
et Transparent

Crème solaire à large  
spectre SPF 15

DIN 02463490

30 mL / 1.0 FL OZ

No Print  
Area

**Drug Facts/Faits sur le produit/  
Datos sobre el producto**

| Active Ingredients<br>Ingrédients Actifs<br>Ingredientes Activos | Purpose/<br>Objectif/<br>Propósito           |
|--|--|
| Octinoxate 4% (WW P/P)   | Sunscreen/<br>Écran solaire/Protector Solaré |
| Zinc Oxide 2.74% (WW P/P)  | Sunscreen/<br>Écran solaire/Protector Solaré |

**Uses/Utilisations/Usos**

- Helps prevent sunburn/Aide à prévenir les coups de soleil/ Ayuda a prevenir las quemaduras de sol

**Warnings/Avvertissements/Precauciones**

For external use only/Usage externe seulement/Para uso externo solamente.

Do not use on broken or damaged skin/Ne pas utiliser sur une peau éraflée ou abîmée/No aplicar sobre piel lacerada o con daños

When using this product keep out of eyes. Rinse with water to remove./En utilisant ce produit, le tenir à l'écart des yeux. Rincer avec de l'eau pour l'enlever./Al usar este producto, evite el contacto con los ojos. Enjuague con agua para remover.

Stop use and ask a doctor if rash occurs/Cesser l'utilisation et consulter un médecin en cas d'irritation./Deje de usar y consulta con un médico si ocurre irritación

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away./Tenir hors de la portée des enfants. En cas d'ingestion du produit, obtenir immédiatement un avis médical ou contacter un centre anti-poison./Mantener fuera del alcance de los niños. Si se ingiere el producto, debe obtener ayuda médica o comunicarse con un Centro de Control de Envenenamientos de inmediato.

**Directions/Mode d'emploi/Instrucciones**

For sunscreen use/Pour une utilisation comme écran solaire/ Uso del protector solar

- Apply liberally 15 minutes before sun exposure/ Appliquer généreusement 15 minutes avant de s'exposer au soleil/ Aplicar abundantemente 15 minutos antes de exponerse al sol
- Use a water resistant sunscreen if swimming or sweating or washing/ Utiliser un écran solaire résistant à l'eau pour nager ou si vous transpirez ou vous lavez/ Use un filtro solar resistente al agua si va a nadar o sudar
- Reapply at least every 2 hours/ Réappliquer au moins toutes les 2 heures/ Vuelva a aplicar cada dos horas.

Exclusively from ARTISTRY

ARTISTRY™

Base Translúcida Liviana/Crema de Protección Solar con FPS 15 de Amplio Espectro

SHAKE WELL BEFORE USE. SHEER COVERAGE FOUNDATION FOR PERFECTED, HYDRATED AND DEWY, LOOKING SKIN./BIEN AGITER AVANT UTILIZATION. FOND DE TEINT COUVERTURE TRANSPARENTE QUI PROCURE UNE APPARENCE DE PEAU ROSEE ET PARFAITEMENT HYDRATÉE./AGITAR BIEN ANTES DE USAR. BASE DE COBERTURA TRANSLUCIDA PARA PIEL QUE LUCE PERFECTAMENTE HIDRATADA Y HÚMEDA.

**Drug Facts (continued)/Faits sur le produit (continués)/Datos del Producto (continuación)**

- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses/Mesures de protection solaire. Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement prématuré de la peau. Pour diminuer ce risque, utiliser régulièrement un écran solaire avec un FPS de 15 ou plus à large spectre et d'autres mesures de protection solaire, notamment: ■ limiter le temps passé au soleil, en particulier entre 10 h 00 et 14 h 00 ■ porter une chemise à manches longues, un pantalon, un chapeau et des lunettes de soleil/ Medidas de Protección Solar. Exponerse por períodos largos al sol aumenta su riesgo de cáncer en la piel y envejecimiento prematuro de la piel. Para reducir el riesgo, debe usar filtro solar de amplia gama con FPS 15 o más regularmente y otras medidas de protección contra el sol, incluyendo: ■ limite el tiempo expuesto al sol, especialmente entre las 10 a.m. – 2 p.m. ■ use camisas de manga larga, pantalones, sombreros y lentes de sol
- Children under 6 months: ask a doctor/Enfants de moins de 6 mois: consulter un médecin/ Menores de 6 meses : consultar con un médico

**Other Information/Autre information/ Otra Información**

- Protect this product from excessive heat and direct sun/ Protéger ce produit de la chaleur excessive et d'une exposition directe au soleil/ Proteja este producto de calor excesivo y exposición directa al sol

MADE IN U.S.A./HECHO EN E.U.A. • TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE UTILISÉE SOUS LICENCE PAR ALTICOR INC. • DIST. BY PAR AMWAY CORP., 7575 FULTON, ADA, MI 48355 USA/E.U. • AMWAY CANADA CORPORATION, LONDON, ON N5Y 5V6 • IMP. Y/O DIST. POR: AMWAY DOMINICAN REPUBLIC LLC, 7575 FULTON STREET EAST, ADA, MI 48355 • ALTICOR INC. 1046727

1046727



1046782i

**ARTISTRY HYDRA V SHEER WEIGHTLESS FOUNDATION PLUSH L3C1**  
octinoxate, zinc oxide cream

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:50390-226 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b> |
|--|--------------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)  | OCTINOXATE               | 40 mg in 1 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION              | 27.4 mg in 1 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |                 |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)                              |                 |
| <b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)                                   |                 |
| <b>MICA</b> (UNII: V8A1AW0880)  |                 |
| <b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)   |                 |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)  |                 |
| <b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)  |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)   |                 |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)                    |                 |
| <b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9) |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)  |                 |
| <b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)   |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                       |                 |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)      |                 |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)  |                 |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)  |                 |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)   |                 |
| <b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)                              |                 |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)   |                 |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                       |                 |
| <b>ISOCETETH-10</b> (UNII: 1K92T9919H)  |                 |
| <b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)   |                 |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)   |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |                 |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                                      |                 |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)  |                 |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)   |                 |
| <b>ACAI OIL</b> (UNII: Z0W6766A2W)  |                 |
| <b>LAURETH-12</b> (UNII: OAH19558U1)  |                 |
| <b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)  |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)  |                 |

|   |
|---|
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)                  |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)               |
| <b>SOYBEAN OIL</b> (UNII: 241ATL177A)                 |
| <b>CERAMIDE NP</b> (UNII: 4370DF050B)                 |
| <b>MEADOWFOAM SEED OIL</b> (UNII: 412ZHA4T4Y)         |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)           |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)            |
| <b>PERILLA FRUTESCENS SEED OIL</b> (UNII: 322MS57V7Z) |
| <b>CHIA SEED OIL</b> (UNII: MC2LH51BO7)               |
| <b>EVENING PRIMROSE OIL</b> (UNII: 3Q9L08K71N)        |
| <b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)   |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:50390-226-00 | 1 in 1 CARTON   | 09/23/2017           |                    |
| 1 |                  | 30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 09/23/2017           |                    |

**Labeler** - Amway Corp (083416854)