3% MENTHOL PLUS 0.083% CAPSAICIN PAIN RELIEF PATCH- pain relief patch, pain relief strip patch Xuzhou Lanting Pharmaceutical Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

85323-008, 3% Menthol plus 0.083% Capsaicin Pain Relief Patch

3% Menthol plus 0.083% Capsaicin Pain Relief Patch, Package NDC Code: 85323-008-01

3% Menthol plus 0.083% Capsaicin Pain Relief Patch, Package NDC Code: 85323-008-01





Active Ingredient

Active Ingredients (in each gram):

Menthol 30mg

Capsaicin 0.83mg

Purpose

Purpose: Topical anesthetic

Uses

Uses

Temporarily relieves minor pain associated with:

- arthritis
- simple backache
- bursitis
- tendonitis
- muscle strains

- bruises
- cramps

Warnings

WARNINGS: EXTERNAL USE ONLY

When using this product

- use only as directed
- do not bandage tightly or use with a heating pad
- aviod contact with eyes and mucous membranes
- do not apply to wounds or damaged skin

Stop use and ask a doctor

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- skin irritation develops

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Other information

Other Information

• store at room temperature 68 to 77°F (20-25°C)

Inactive Ingredients

Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate Anhydrous, Edetate Disodium, Kaolin, Carbomer, Carboxymethylcellulose Sodium, Purified Water, Tartaric Acid, Povidone K90, DMDM Hydantoin, Alcohol 95%, Polysorbate 80, Propylene Glycol.

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

DIRECTIONS

Adult and children 12 years of age and older:

- Partially peel back protective film and apply exposed patch to site of pain. Carefully remove remaining film while pressing patch to skin for secure adhesions
- Apply to affected area not more than 3 to 4 times daily

Children under 12 years of age: DO NOT use without consulting a doctor.

Temporarily relieves minor pain associated with:

- arthritis
- simple backache
- bursitis
- tendonitis
- muscle strains
- bruises
- cramps

Adult and children 12 years of age and older:

- Partially peel back protective film and apply exposed patch to site of pain. Carefully remove remaining film while pressing patch to skin for secure adhesions
- Apply to affected area not more than 3 to 4 times daily

Children under 12 years of age: DO NOT use without consulting a doctor.

3% MENTHOL PLUS pain relief patch, pain relief s		ICIN PA	IN RELIEF P	ΑΤС	н	
Product Information						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) ND0		NDC	C:85323-008	
Route of Administration	TOPICAL					
Active Ingredient/Active	Moiety					
Ingred	ient Name		Basis of Strength		Strength	
MENTHOL (UNII: L7T10EIP3A) (ME	IENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) MENTHOL			3	3 g in 100 g	
CAPSAICIN (UNII: S07044R1ZM) (CAPSAICIN - UNII:S07044R1ZM)		CAPSAICIN		83 mg in 100 g		
Inactive Ingredients						
	Ingredient Name				Strength	
SODIUM POLYACRYLATE (2500	000 MW) (UNII: 05115JNI2J)					
ALCOHOL 95% (UNII: 7528N5H79	B)					
WATER (UNII: 059QF0K00R)						
DIHYDROXYALUMINUM AMINOA	CETATE ANHYDROUS (UN	II: 1K713C61	L5K)			
KAOLIN (UNII: 24H4NWX5CO)						
PROPYLENE GLYCOL (UNII: 6DC	9Q167V3)					
EDETATE DISODIUM (UNII: 7FLD	91C86K)					
CARBOMER 934 (UNII: Z135WT92	208)					
TARTARIC ACID (UNII: W48881119	H)					
POLYSORBATE 80 (UNII: 60ZP39	9ZG8H)					
POVIDONE K90 (UNII: RDH86HJV5	SZ)					
GLYCERIN (UNII: PDC6A3C0OX)						
CARBOXYMETHYLCELLULOSE S)				
DMDM HYDANTOIN (UNII: BYR05	46TOW)					

olor			Score				
аре		Size					
Flavor			Imprint Code				
ontains							
ackaging							
Item Code	Packa	ge Descrip	otion	Marketir Da			eting End Date
NDC:85323-008- 01	24 in 1 BOX			06/10/2025	LC		ate
01	2 in 1 POUCH						
	8.5 g in 1 PATCH;	Type 0: Not a	Combination				
	Product						
20mm	140mm	80mm		140mm	80mm	Ĩ.	
							20mm
simuly.	the 21 xmo 20	140	0.1210		M Y K	-	
scipitade, - scipitateg - scipi	npundyening termine	140X8	30x210mm		M I K		
	IOH TAR						80mm
NIV	a -						
HLDNFHLS							
	EXTRA STRENGTH			EXTRA STRENGT	Ĭ		
	RELIEF	,	R	FLIER	7		
	HOT PATCH			OT PATCH			
For fast re aches and	lief of minor • Arthrit		For fast relief of ma aches and pains				
due to:	• Bruise • Sprain	S EXTRASTRENGTH	due to:	• Bruis • Spra	ses EXT	PAIN	210mm
		RELIEF HOT PATCH			REI	IEF PATCH	
100	Neg 1	For fast relief of minor ad and pains due to:	hes	SW	For fast relief of 1. and pains due to:		
	00)	• Arthritis • Strains		EXTRASTREM PAI RELIE	• Arthritis • Strains		
	2 Partolaw /Pourd	Bruises Sprains 2 Patches/Pouch	For fast relief of minor aches and pains due to:	HOT PAT	• Sprains	auch	
	2 Patches/Poucl (24 Pouches 3.15 in x 4.72 @cmx12 cm	() 2 Futches/Fouch (24 Pouches) n 3.15 in x 4.72 in (8 cm x 12 cm)	 Arthritis Strains Bruises Sprains 	2 Patches/Poil (24 Poile 3.15 in x 4. @cm x 12	Ch 2 Fulches/ (24 Pouche 72 in 3.15 in x 4.72 (8 cm x 12 cm)	5)	
	Chem 221400 the development approximation of the state of the state provide approximation is provided in the state of the state of the state the state of the						57
	www.sglungAft 🔳						57mm

Category	Citation	Date	Date
unapproved drug other		06/10/2025	

Labeler - Xuzhou Lanting Pharmaceutical Co., Ltd (457641059)

Registrant - Xuzhou Lanting Pharmaceutical Co., Ltd (457641059)

Establishment					
Name	Address	ID/FEI	Business Operations		
Xuzhou Lanting Pharmaceutical Co., Ltd		457641059	manufacture(85323-008)		

Revised: 6/2025

Xuzhou Lanting Pharmaceutical Co., Ltd