

PROCURE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Twin Med LLC

Active Ingredients

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (equivalent to 3.5mg of Neomycin Base)

Polymyxin B Sulfate 5,000 units

Purpose

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

Warnings

For External Use Only

Do not use

Do not use

- in the eyes
- if you are allergic to any of the ingredients
- over large areas of the body

Ask a doctor before use

Ask a doctor before use if you have:

- animal bites
- serious burns
- deep or puncture wounds

Keep out of reach of children

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center immediately.


Directions

Directions:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Inactive Ingredient

Inactive Ingredient: White Petrolatum



Reorder No. **PCTA01**

TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc / Neomycin Sulfate / Polymyxin B Sulfate
First Aid Antibiotic Ointment

NET WT. 1 OZ (28.3g)

Drug Facts **Active ingredients (in each gram)** Bacitracin Zinc 400 units, Neomycin Sulfate 5 mg (equivalent to 3.5 mg of Neomycin Base), Polymyxin B Sulfate 5,000 units **Purpose** First aid antibiotic

Uses first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns **Warnings** For external use only. **Do not use** ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body **Ask a doctor before use if you have** ■ animal bites ■ serious burns ■ deep or puncture wounds **Stop use and ask a doctor if** ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage

Other information ■ Store between 15° to 30°C (59° to 86°F) ■ Lot No. & Exp. Date: See box or crimp of tube

Inactive ingredient White Petrolatum

Distributed by: **Twin Med LLC** Santa Fe Springs, CA 90670 **NDC: 55681-020-01** **Made in India**
www.procureproducts.com

PROCURE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Product Characteristics

Color	white (Clear to white color)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55681-020-01	28.3 g in 1 TUBE; Type 0: Not a Combination Product	06/16/2025	
2	NDC:55681-020-14	144 in 1 CARTON	06/16/2025	
2	NDC:55681-020-09	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	06/16/2025	

Labeler - Twin Med LLC (009579330)

Revised: 6/2025

Twin Med LLC