

AUTOBRUSH WATERMELON- sodium fluoride liquid
Lander Enterprises, LLC

Active Ingredient

Sodium Fluoride 0.24%

Purpose

Anticavity

Uses

Aids in the prevention of dental cavities.

Warnings

Keep out of reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Central right away.

Directions

- **Adults and children 2 years of age and older:** Brush teeth thoroughly, preferably after each meal or at least twice per day, or as directed by a dentist or physician.
- Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing).
- Shake before use.
- Squirt two times into your mouth and start brushing.
- Supervise children as necessary until capable of using without supervision.
- **Children under 2 years of age:** consult a dentist or physician.

Inactive Ingredients

Aqua, Glycerin, Sorbitol, Poloxamer, Xylitol, Natural Watermelon Flavor, Nano Silver, Potassium Sorbate, Stevioside, Citric Acid, Calcium Citrate

● **Questions?**

- **Email Support:** customercare@autobrush.com
- **Phone Support:** 1-888-468-7404

Product label



AUTOBRUSH
for KIDS

Watermelon

Fluoride
Foaming Toothpaste

50ML Supply

A Fresher Approach

The first kid-friendly cavity-fighting foam toothpaste with fluoride.

They'll love the watermelon flavor; you'll love the cavity protection.

Need more?



Address: 4779 Hanoverville Road Bethlehem, PA, 18020

Drug Facts

Active Ingredient	Purpose
Sodium Fluoride 0.243%	Anticavity Uses

Aids in the prevention of dental cavities.

Warnings

Keep out of reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Central right away.

Directions

- **Adults and Children 2 years & older:** Brush teeth thoroughly, preferably after each meal or at least twice per day, or as directed by a dentist or physician.
- Instruct children under 6 years of age: in good brushing and rinsing habits (to minimize swallowing).
- Shake before use
- Pump two times onto your brush and start brushing.
- Supervise children as necessary until capable of using without supervision.
- **Children under 2 years:** Consult a dentist or physician.

Inactive Ingredients: Water, Glycerin, Sorbitol, Poloxamer 407, Xylitol, Natural Watermelon Flavor, Nanosilver, Potassium Sorbate, Stevioside, Citric Acid, Calcium Citrate

Questions?

Email Support: customer@autobrush.com

Phone Support: 1-888-468-7404

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.24 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
XYLITOL (UNII: VCQ006KQ1E)	
SILVER (UNII: 3M4G523W1G)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
STEVIOSIDE (UNII: 0YON5MXJ9P)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CALCIUM CITRATE (UNII: MLM29U2X85)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82913-003-01	1 in 1 CARTON	12/01/2022	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	12/01/2022	

Labeler - Lander Enterprises, LLC (068619221)