

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
CVS Pharmacy**

CVS Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacterial contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs

- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- ***cap bottle tightly***
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

CVS Health

Liquid Bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- Help in preventing the formation of calluses

Package Contains One Bottle

0.3 FL OZ (9mL)



Compare to
New-Skin®
NDC 59779-385-03

Liquid bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- Help in preventing the formation of calluses



Package Contains One Bottle 0.3 FL OZ (9 mL)

Use CVS Health™ Liquid Bandage for:
Paper cuts, blisters, chapped & cracked fingertips, shaving nicks, hangnails & help in preventing the formation of calluses

Used by:
Bowlers, golfers, tennis players, fishermen, musicians, runners, hikers & dancers

53-033CV-A01



Compare to New-Skin®

Liquid Bandage

FOR SMALL CUTS & WOUNDS

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevents infection
- Invisible & flexible
- Easy to use

0.3 FL OZ (9 mL)



*This product is not manufactured or distributed by Moberg Pharma North America LLC, owner of the registered trademark New-Skin®.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

Made in the U.S.A. with U.S. and Imported parts
V-18372



#336846

FPO 85%

UPC# 050428437933

X XXXXXX XXXXXX X

Care: Wipe top of bottle clean after each use.

Questions? Call 1-866-964-0939

Inactive ingredients
nitrocellulose, SD alcohol 40, benzethonium chloride, benzalkonium chloride, benzocaine, butyl acetate, castor oil, ethyl acetate, Liquid Bandage and quickly wipe off.

Other information ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more may be applied for extra protection ■ children under 2 years of age: consult a doctor ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating ■ clean affected area

Directions ■ for adults and children 2 years of age and older ■ avoid contact with eyes ■ Control Center right away.

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center.

When using this product ■ avoid contact with eyes ■ animal bites ■ serious burns

Ask a doctor before use if you have ■ deep or puncture wounds ■ deep cuts ■ longer than 1 week unless directed by a doctor

Do not use ■ in the eyes ■ over large areas of the body

Flammable: keep away from fire or flame.

For external use only.

Warnings

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain

Active ingredients
Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%
Topical analgesic

Purpose
First aid antiseptic

DO NOT USE IF NECKBAND IS BROKEN

BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-385
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-385-03	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/10/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	07/10/2014	

Labeler - CVS Pharmacy (062312574)

Revised: 10/2025

CVS Pharmacy