TOPICAL CREAM- lidocaine cream BLOOMWELL GARDENS LLC

ACTIVE INGREDIENT

Lidocaine 4% ---Topical anesthetic

PURPOSE

Local anesthetic

Uses

Temporarily helps reduce discomfort from:

Minor burns, Insect bites, linor skin irritations, Post-shaving or grooming sensitivity, External itching or rash due to dry skin

Warnings

For external use only

Do not use:

In or near eyes

- On large areas of the body or on broken, blistered, or abraded skin
- If allergic to local anesthetics such as lidocaine

When using this product:

- Avoid contact with eyes
- Do not bandage tightly or use with heating pad
- Keep out of reach of children

Stop use and ask a doctor if:

■ Condition worsens or symptoms persist more than 7 days

Redness, rash, or irritation develops

■ If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children

Directions

- Adults and children over 12 years:
- Apply a thin layer to affected area not more than 3-4 times daily
- Children under 12 years: Consult a doctor before use
- Wash hands after application


Inactive ingredients


Purified Water, Glycerin, Allantoin, Tocopheryl Acetate (Vitamin E), Carbomer, Propylene Glycol, Sodium Hydroxide, Phenoxyethanol, Ethylhexylglycerin

Other information

Store at room temperature (15–30°C / 59–86°F)
Tamper evident: Do not use if seal is broken or missing

PRINCIPAL DISPLAY PANEL





TOPICAL CREAM

lidocaine cream

| Dro | $\boldsymbol{\alpha}$ | Into | rmation |
|-----|-----------------------|------|------------|
| PIU | | | IIIIaliuli |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85284-002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|--------------------------|----------|
| | | |

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 4 g in 100 g

Inactive Ingredients

| I | Ingredient Name | Strength |
|---|-----------------|----------|
| | | |

GLYCERIN (UNII: PDC6A3C0OX)

| WATER (UNII: 059QF0KO0R) | |
|---|--|
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| CARBOMER (UNII: 0A5MM307FC) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |

| P | Packaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:85284- 002-01 | 50 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/16/2025 | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M017 | 06/16/2025 | | |
| | | | | |

Labeler - BLOOMWELL GARDENS LLC (124839891)

Revised: 6/2025 BLOOMWELL GARDENS LLC