PROPYLENE GLYCOL - propylene glycol liquid MWI/Vet One

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Propylene Glycol

Oral

Ketosis Treatment for Dairy Cattle

Not for human use

Keep out of reach of children

ADMINISTRATION

For use mixed with feed or as a drench.

DOSAGE

In dairy cattle, administer 6-16 ounces per head, per day for 10 days. Severe cases of ketosis may require larger doses. Before administering Propylene Glycol to cows suffering from milk fever, mastitis or metritis consult a veterinarian.

PREVENTION

In dairy cattle, administer 6-8 fluid ounces per day beginning 2 weeks before calving and continuing 6 weeks after calving.


INDICATIONS

For use in the treatment and prevention of bovine ketosis (acetonemia).

INGREDIENTS

100% Propylene Glycol

TAKE TIME OBSERVE LABEL DIRECTIONS



PROPYLENE GLYCOL

propylene glycol liquid

Product Information

Product TypeOTC ANIMAL DRUGItem Code (Source)NDC:13985-055Route of AdministrationORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

PROPYLENE GLYCOL (UNII: 6 DC9 Q 167V3) (PROPYLENE GLYCOL UNII: 6 DC9 Q 167V3)

PROPYLENE
GLYCOL

3.785 L in 3.785 L

Packaging

l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:13985-055-80	3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/12/2011	

Labeler - MWI/Vet One (019926120)

Revised: 6/2014 MWI/Vet One