

DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), BSX- acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated
DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), LIL DRUG STORE- acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated
DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), CVP- acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated
Lil' Drug Store Products, Inc.

DayQuil™ Cold & Flu w/VapoCOOL, 4ct (PE-free), Lil' Drug Store®
DayQuil™ Cold & Flu w/VapoCOOL, 4ct (PE-free), CVP®
DayQuil™ Cold & Flu w/VapoCOOL, 4ct (PE-free), BSX

Drug Facts

Active ingredients (in each caplet)

Active ingredients (in each caplet)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Purpose

Purpose

Pain reliever/fever reducer

Cough suppressant

Uses

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Warnings

Liver warning

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Allergy alert:

Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Directions

- take only as directed
- do not exceed 8 caplets per 24 hrs

| | |
|---------------------------------|----------------------------------|
| adults & children 12 yrs & over | 2 caplets with water every 4 hrs |
| children 4 to under 12 yrs | ask a doctor |
| children under 4 yrs | do not use |

Other information

Other information

- store at no greater than 25°C (77°F)

Inactive ingredients

Inactive ingredients

corn starch, crospovidone, FD&C Yellow No. 6 Aluminum Lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Questions?

Questions?1-800-362-1683

DayQuil [™] Cold & Flu w/VapoCOOL, 4ct (PE-free), Lil' Drug Store [®]
VICKS

DayQuil™

COLD & FLU

Acetaminophen,

Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

Vapo Cool

COATED

4 Coated Caplets

[Lil' Drug Store® logo]



DayQuil™ Cold & Flu w/VapoCOOL, 4ct (PE-free), CVP® HEALTH

VICKS

DayQuil™

COLD & FLU

Acetaminophen,

Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

VapoCool

COATED

4 Coated Caplets

[CVP ® HEALTH logo]



DayQuil™ Cold & Flu w/VapoCOOL, 4ct (PE-free), Travel BASIX

VICKS

DayQuil™

COLD & FLU

Acetaminophen,

Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

VapoCool

COATED

4 Coated Caplets

[Travel BASIX logo]



DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), BSX

acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-6204 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z 2JR6Q) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| STEARIC ACID (UNII: 4ELV7Z 65AP) | |

| | | | | |
|---------------------------------------|--|---|----------------------|--------------------|
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | | | |
| CROSPVIDONE (UNII: 2S7830E561) | | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | | |
| TALC (UNII: 7SEV7J4R1U) | | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I3O) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | orange | Score | no score | |
| Shape | OVAL | Size | 19mm | |
| Flavor | | Imprint Code | DQV | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:66715-6204-2 | 2 in 1 CARTON | 06/01/2025 | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M012 | | 06/01/2025 | |

DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), LIL DRUG STORE

acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-9604 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSPVIDONE (UNII: 2S7830E561) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TALC (UNII: 7SEV7J4R1U) | |

Product Characteristics

| | | | |
|----------|--------|--------------|----------|
| Color | orange | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | DQV |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66715-9604-2 | 2 in 1 CARTON | 06/01/2025 | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/01/2025 | |

DAYQUIL COLD AND FLU W/VAPOCOOL, 4CT (PE-FREE), CVP

acetaminophen, dextromethorphan hydrobromide tablet, coated tablet, coated

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-6804 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|---|----------------------------------|--------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSPVIDONE (UNII: 2S7830E561) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TALC (UNII: 7SEV7J4R1U) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | orange | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | DQV |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66715-6804-2 | 2 in 1 CARTON | 06/01/2025 | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/01/2025 | |

Labeler - Lil' Drug Store Products, Inc. (093103646)