NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, TRAVEL BASIX- acetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet, coated

NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, CVP HEALTH- acetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet, coated

NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, LIL DRUG STOREacetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet, coated

Lil' Drug Store Products, Inc.

NyQuil ™ Cold & Flu w/VapoCOOL, 4ct (PE-free), Lil' Drug Store ® NyQuil ™ Cold & Flu w/VapoCOOL, 4ct (PE-free), CVP ® HEALTH NyQuil ™ Cold & Flu w/VapoCOOL, 4ct (PE-free), Travel BASIX

Drug Facts

Active ingredients

Active ingredients (in each caplet)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Purpose

Purpose

Pain reliever/fever red

Cough suppressant

Antihistamine

Uses

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- cough to help you sleep
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Directions

- take only as directed
- do not exceed 8 caplets per 24 hrs

adults & children 12 yrs & over	2 caplets with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

Other information

store at no greater than 25°C (77°F)

Inactive ingredients

Inactive ingredients

corn starch, D&C Yellow #10 Aluminum Lake, FD&C Blue #2 Aluminum Lake, FD&C

Yellow #6 Aluminum Lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Questions?

Questions?1-800-362-1683

NyQuil ™ Cold & Flu w/VapoCOOL, 4ct (PE-free), Lil' Drug Store ®

VICKS

NyQuil ™

COLD & FLU

Acetaminophen, Docylamine

Succinate, Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

VapoCOOL

COATED

4 Coated Caplets

[Lil' Drug Store ® logo]



NyQuil Cold & Flu w/VapoCOOL, 4ct (PE-free), CVP ® HEALTH VICKS
NyQuil™

COLD & FLU

Acetaminophen, Docylamine

Succinate, Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

VapoCOOL

COATED

4 Coated Caplets

[CVP ® HEALTH logo]



NyQuil Cold & Flu w/VapoCOOL, 4ct (PE-free), Travel BASIX

VICKS

NyQuil™

COLD & FLU

Acetaminophen, Docylamine

Succinate, Dextromethorphan HBr

[caplet image]

Headache, Fever, Sore Throat,

Minor Aches & Pains

Cough

VapoCOOL

4 Coated Caplets

[Travel BASIX logo]



NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, TRAVEL BASIX

acetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet, coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6205	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		

Inactive Ingredients		
	Ingredient Name	Strength

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics				
Color green Score no score				
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	NQV	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:66715- 6205-2	2 in 1 CARTON	06/01/2025		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/01/2025		

NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, CVP HEALTH

acetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet, coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6805	
Route of Administration	ORAL			

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
TALC (UNII: 7SEV7J4R1U)			
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
STARCH, CORN (UNII: O8232NY3SJ)			

Product Characteristics				
Color green Score no score				
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	NQV	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:66715- 6805-2	2 in 1 CARTON	06/01/2025			
1		2 in 1 POUCH; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/01/2025		
OTC Monograph Drug	MO12	00/01/2023		

NYQUIL COLD AND FLU W/VAPOCOOL, 4CT, LIL DRUG STORE

acetaminophen, doxylamine succinate, dextromethorphan hydrobromide tablet, coated tablet,

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9605		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		

Inactive Ingredients				
Ingredient Name	Strength			
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TALC (UNII: 7SEV7J4R1U)				
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
STARCH, CORN (UNII: O8232NY3SJ)				

Product Characteristics						
Color	green	Score	no score			
Shape	OVAL	Size	19mm			
Flavor		Imprint Code	NQV			
Contains						

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:66715- 9605-2	2 in 1 CARTON	06/01/2025		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/01/2025		

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 6/2025 Lil' Drug Store Products, Inc.