

SILICONE SCAR CREAM- dimethicone, ascorbic acid, tocopherol, panthenol, allantoin cream

Yunqi Cosmetics (Shenzhen) Co., Ltd

84763-007 Silicone Scar Cream

Dimethicone 3%
Ascorbic Acid 1%
Tocopherol 0.2%
Panthenol 0.2%
Allantoin 0.2%

Advanced Scar Gel Reduce the Appearance of NEW & OLD Scars

It is primarily used to reduce and improve the appearance of scars, lighten the color and thickness of scars, improve skin elasticity, and help restore smoother skin texture. The ingredients are mild and non-irritating, suitable for all kinds of scars.

For external use only


1. Do not use on open wounds, unhealed skin, or mucous membranes.
3. If pregnant or breast-feeding, ask a health professional before use.
4. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison control Center immediately.
2. Stop use and ask a doctor if the scarred area becomes red, swollen, infected, or exhibits other abnormal conditions.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison control Center immediately.

1. Before use, clean and dry the area where the scar cream will be applied.
2. Take an appropriate amount of scar cream and apply it evenly on the scar area.
3. Gently massage the area to help absorption.
4. It is recommended to use it 2-3 times a day, depending on the recovery of the scar.

Water
Glycerin
Mineral Oil
Squalane
Caprylic/Capric Triglyceride
Centella Asiatica Extract
Cetearyl Glucoside
Cetearyl Alcohol
PEG-100 Stearate
Fish Liver Oil
Glyceryl Stearate
Phenoxyethanol
Hydrolyzed Collagen
Carbomer

Arginine
Methylparaben
Hyaluronic Acid
Rosa Rugosa Flower Oil
Retinol



SILICONE SCAR CREAM

dimethicone, ascorbic acid, tocopherol, panthenol, allantoin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84763-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	1 g in 100 g
PANTHENOL (UNII: WW9CM0O67Z) (PANTHENOL - UNII:WW9CM0O67Z)	PANTHENOL	0.2 g in 100 g
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.2 g in 100 g
TOCOPHEROL (UNII: R0ZB2556P8) (TOCOPHEROL - UNII:R0ZB2556P8)	TOCOPHEROL	0.2 g in 100 g
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
SQUALANE (UNII: GW89575KF9)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
HYDROLYZED ELASTIN (UNII: ZR28QKN0WT)	
HYALURONIC ACID (UNII: S270N0TRQY)	
ROSA CANINA FLOWER OIL (UNII: DUY7M48I1T)	
RETINOL (UNII: G2SH0XKK91)	
CARBOMER (UNII: 0A5MM307FC)	
WATER (UNII: 059QF0KO0R)	
TRICAPRIN (UNII: O1PB8EU98M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MINERAL OIL (UNII: T5L8T28FGP)	
GLYCERIN (UNII: PDC6A3C0OX)	
FISH LIVER OIL (UNII: BN5IO4652Q)	
ARGININE (UNII: 94ZLA3W45F)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84763-007-01	1 in 1 BOX	06/18/2025	
1		50 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/18/2025	

Labeler - Yunqi Cosmetics (Shenzhen) Co., Ltd (978129337)

Establishment

Name	Address	ID/FEI	Business Operations
Yunqi Cosmetics (Shenzhen) Co., Ltd		978129337	manufacture(84763-007)