NASAL DECONGESTANT NON-DROWSY- pseudoephedrine hcl tablet, film coated Strategic Sourcing Services, LLC (Health Mart)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Health Mart 44-112

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

take 2 tablets every adults 4 to 6 and hours; childrendo not 12 take years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years than 4 tablets in 24 hours children under 6 vears take 2 take more take 1 tablet every 4 to 6 children do not take more than 4 tablets in 24 hours			
adults 4 to 6 and hours; childrendo not 12 take years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years do not take more than 4 tablets in 24 hours children under 6		take 2	
adults 4 to 6 and hours; childrendo not 12 take years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years than 4 tablets in 24 hours children under 6 do not use		tablets	
and hours; childrendo not 12 take years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years take 1 tablets in 24 hours; children under 6 do not use		every	
childrendo not 12 take years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use	adults	4 to 6	
take years and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use	and	hours;	
years more and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use	children	do not	
and than 8 over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use	12	take	
over tablets in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years do not take more than 4 tablets in 24 hours children under 6	years	more	
in 24 hours take 1 tablet every 4 to 6 children ages 6 to 12 years than 4 tablets in 24 hours children under 6 do not use	and	than 8	
take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use	over	tablets	
hours take 1 tablet every 4 to 6 children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not take more than 4 tablets		in	
take 1 tablet every 4 to 6 children ages 6 to 12 years take do not take more than 4 tablets in 24 hours children under 6 do not		24	
tablet every 4 to 6 children ages 6 to 12 years tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours children under 6 do not		hours	
every 4 to 6 hours; do not take more than 4 tablets in 24 hours children under 6		take 1	
children ages 6 to 12 years take more than 4 tablets in 24 hours children under 6 do not use		tablet	
children do not take more than 4 tablets in 24 hours children under 6 do not use		every	
do not take more than 4 tablets in 24 hours children under 6 do not use		4 to 6	
ages 6 to 12 years than 4 tablets in 24 hours children under 6	children	hours;	
6 to 12 years than 4 tablets in 24 hours children under 6 take more than 4 tablets in 24 hours		do not	
years more than 4 tablets in 24 hours children under 6 do not use		take	
than 4 tablets in 24 hours children under 6 use		more	
in 24 hours children do not under 6 use	years	than 4	
24 hours children under 6 do not use		tablets	
hours children under 6 do not use		in	
children under 6 do not use		24	
children under 6 do not use		hours	
under 6 use	childrer		
	under 6		
.,	years	use	

Other information

- each tablet contains: calcium 15 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

Health Mart_®

NDC 62011-0312-3

compare to Sudafed® Congestion active ingredient*

Nasal

Decongestant

Pseudoephedrine HCl 30 mg

Nasal Decongestant

Relieves Nasal & Sinus Congestion/Sinus Pressure

Non-Drowsy

Actual Size

96 Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed[®] Congestion.

50844 REV0619B11246

Mckesson

Distributed by McKesson Corporation 6555 State Highway 161 Irving, TX 75039 www.mckesson.com



NASAL DECONGESTANT NON-DROWSY

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0312
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PSEUDO EPHEDRINE HYDRO CHLO RIDE (UNII: 6 V9 V2RYJ8 N) (PSEUDO EPHEDRINE - UNII:7CUC9 DDI9 F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
ANHYDRO US DIBASIC CALCIUM PHO SPHATE (UNII: L11K75P92J)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics			
Color	RED	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;112
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0312-1	1 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:62011-0312-2	2 in 1 CARTON	08/25/1981	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:62011-0312-3	4 in 1 CARTON	08/25/1981	
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FINAL	part341	08/25/1981			

Labeler - Strategic Sourcing Services, LLC (Health Mart) (116956644)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(62011-0312)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(62011-0312)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(62011-0312)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(62011-0312)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(62011-0312)

Revised: 1/2020 Strategic Sourcing Services, LLC (Health Mart)