

PEPCID COMPLETE- famotidine, calcium carbonate, and magnesium hydroxide tablet, chewable
Kenvue Brands LLC

Pepcid® Complete

Drug Facts

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert

Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
 - **do not swallow tablet whole: chew completely**
 - to relieve symptoms, **chew** 1 tablet before swallowing
 - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 320 mg, magnesium 70 mg
- contains FD&C yellow no. 5 (tartrazine) as a color additive
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture
- **do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing**

Inactive ingredients

cellulose acetate, corn starch, corn syrup solids, crospovidone, dextrose excipient, FD&C yellow no. 5 aluminum lake (tartrazine), FD&C yellow no. 6 aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, mineral oil*, sucralose, triacetin

*may contain mineral oil

Questions or comments?

call **1-800-755-4008** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 16837-246-25

DUAL ACTION

Pepcid®

Complete

Famotidine 10 mg–Acid reducer

Calcium carbonate 800 mg–Antacid

Magnesium hydroxide 165 mg-Antacid

Just One Tablet!

Relieves Heartburn Due to Acid Indigestion

Tropical Fruit Flavor

actual size

25

Chewable Tablets

NDC 16837-246-25

DUAL ACTION

Pepcid Complete

Famotidine 10 mg—Acid reducer
Calcium carbonate 800 mg—Antacid
Magnesium hydroxide 165 mg—Antacid

Just One Tablet!
Relieves Heartburn Due to Acid Indigestion
Tropical Fruit Flavor

25 Chewable Tablets

actual size

For Complete Directions and Warnings

Do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing

Drug Facts	Purposes
Active ingredients (in each chewable tablet)	
Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

Use relieves heartburn associated with acid indigestion and sour stomach ▶

Distributed by: Kenvue Brands LLC, Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com

<p>Drug Facts (continued)</p> <p>Warnings Allergy alert: Do not use if you are allergic to famotidine or other acid reducers</p> <p>Do not use</p> <ul style="list-style-type: none"> if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. with other acid reducers <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> had heartburn over 3 months. This may be a sign of a more serious condition. heartburn with lightheadedness, sweating, or dizziness chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness frequent chest pain frequent wheezing, particularly with heartburn unexplained weight loss stomach pain nausea or vomiting kidney disease 	<p>Drug Facts (continued)</p> <p>Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> your heartburn continues or worsens you need to take this product for more than 14 days <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions</p> <ul style="list-style-type: none"> adults and children 12 years and over: <ul style="list-style-type: none"> do not swallow tablet whole: chew completely to relieve symptoms, chew 1 tablet before swallowing do not use more than 2 chewable tablets in 24 hours children under 12 years: ask a doctor
--	--

7 16837 24625 1

EXP.

30059921

Drug Facts (continued)

Other information

- each tablet contains: calcium 320 mg, magnesium 70 mg
- contains FD&C yellow no. 5 (tartrazine) as a color additive
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F) protect from moisture
- do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing

Inactive ingredients cellulose acetate, corn starch, corn syrup solids, crospovidone, dextrose excipient, FD&C yellow no. 5 aluminum lake (tartrazine), FD&C yellow no. 6 aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, mineral oil*, sucralose, triacetin
*may contain mineral oil

Questions or comments?
call 1-800-755-4008 (toll-free) or 215-273-8755 (collect)

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables

Pepcid Complete

Acid Reducer + Antacid
25 Chewable Tablets

Distributed by: Kenvue Brands LLC, Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com

PEPCID COMPLETE			
famotidine, calcium carbonate, and magnesium hydroxide tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16837-246

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CORN SYRUP (UNII: 9G5L16BK6N)	
CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ACACIA (UNII: 5C5403N26O)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MINERAL OIL (UNII: T5L8T28FGP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TRIACETIN (UNII: XHX3C3X673)	
CELLULOSE ACETATE (UNII: 3J2P07GVB6)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	17mm
Flavor	FRUIT (Tropical Fruit Flavor)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16837-246-05	5 in 1 CARTON	01/01/2009	03/31/2013
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:16837-246-08	8 in 1 CARTON	01/01/2009	03/31/2012
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:16837-	25 in 1 BOTTLE, PLASTIC; Type 0: Not a	01/01/2009	

3	246-25	Combination Product	01/01/2009	
4	NDC:16837-246-26	25 in 1 TRAY	01/01/2009	04/11/2016
4		1 in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:16837-246-27	2500 in 1 TRAY	01/01/2009	03/31/2014
5		1 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:16837-246-28	2500 in 1 TRAY	01/01/2009	03/31/2013
6		1 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:16837-246-29	25 in 1 TRAY	01/01/2009	05/31/2013
7		1 in 1 POUCH; Type 0: Not a Combination Product		
8	NDC:16837-246-50	50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2009	
9	NDC:16837-246-36	1 in 1 CARTON	01/01/2009	01/24/2014
9		35 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
10	NDC:16837-246-64	65 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2009	03/24/2014

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020958	01/01/2009	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2025

Kenvue Brands LLC