#### BOTASUN QUIT SMOKING NICOTINE- nicotine18%, menthol 0.3% quit smoking nicotine patch Jiangxi Hemei Pharmaceutical Co., Ltd

\_\_\_\_\_

## 84010-136

## **Active Ingredient**

Nicotine 18%

menthol 0.3%

#### Purpose

stop smoking aid

#### Use

reduces withdrawal symptoms,including nicotine craving,associated with quitting smoking

#### Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine,This medicine is believed to be safer than smoking.However, the risks to your child from this medicine are not fully known

#### Do not use

Do not wear more than one patch at a time.Do not cut patch in half or into smaller pieces,Do not leave patch on for more than 24 hours.because it may irritate your skin and loses strength after 24 hours.To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging)procedures.It is important to complete treatment,if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

#### When Using

if you have vivid dreams or other sleep disturbances remove this patch at bedtime

#### Stop Use

Stop use and ask a doctor if Feeling uncomfortable or experiencing or other sensitive dizziness symptoms

# Ask Doctor

Ask a doctor before use if you have

Heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate. High blood pressure not controlled with medication. Nicotine can increase your blood pressure.

An allergy to adhesive tape or have skin problems because you are more likely to get rashes. Stomach ulcer or diabetes, History of seizures.

Ask a doctor or pharmacist before use if you are: Using a non-nicotine stop smoking drug.

Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

# Keep Out Of Reach Of Children

Keep out ofreach of children and pets.

# Directions

If you are under 18 years of age, ask adoctor before use.

Before using this product,need the enclosed self-help guide for complete directions and other information. Begin using the patch on your quit day. If you smoke more than 10 cigarettes per day, use the following schedule below. he used patch should be removed and a new one applied to a different skin site at the same time each day. If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning. Do not wear more than one patch at a time. Do not cut patch in half or into smaller pieces, Do not leave patch on for more than 24 hours. because it may irritate your skin and loses strength after 24 hours. To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures. It is important to complete treatment, if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider. Signs of excessive use may include nausea.vomiting, dizziness, weakness, or rapid heartbeat. If these symptoms occur, remove the patch immediately and contact a doctor or poison control center

# Other information

store at 20-25°C

# Inactive ingredients

acrylate adhesive cellulose paper methacrylic acid

# PRINCIPAL DISPLAY PANEL



BOTASUN	QUIT	SMOKING	NICOTINE
---------	------	---------	----------

nicotine18%, menthol 0.3% quit smoking nicotine patch

Product Information						
Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC:84	1010-136	
Route of Administration	TOPICAL					
Active Ingredient/Active Moiety						
	ent Name		Basis of Streng	gth	Strength	
MENTHOL (UNII: L7T10EIP3A) (MEN	THOL - UNII:L7T10EIP3A)		MENTHOL	0	.3 g in 100	
NICOTINE (UNII: 6M3C89ZY6R) (NIC	COTINE - UNII:6M3C89ZY6R	)	NICOTINE	1	8 g in 100	
Inactive Ingredients						
	Ingredient Name			S	trength	

	<b>CRYLATE</b> (UNII: 25GT92NY0C) (UNII: 1CS02G8656)		
HACRYLIC ACID	(UNII: 1CS02G8656)		
kaging			
ltem Code	Package Description	Marketing Start Date	Marketing End Date
		06/19/2025	
rkoting Ir	formation		
rketing n			
Marketing Category	Application Number or Monograph Citation	n Marketing Start Date	Marketing End Date
	M017	06/19/2025	
	rketing Ir	Item Code Package Description   DC:84010-136- 21 in 1 BOX; Type 0: Not a Combination Product   rketing Information Marketing Application Number or Monograph	Package Description Marketing Start Date   DC:84010-136- 21 in 1 BOX; Type 0: Not a Combination Product 06/19/2025   rketing Information Marketing Start Date Marketing Start Date

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-136)

Revised: 6/2025

Jiangxi Hemei Pharmaceutical Co., Ltd