

**ORIGINAL TINT- titanium dioxide, zinc oxide cream  
L MOORE AESTHETICS**

**DRUG FACTS (cont)**

- Sun Protection Measures:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am-2 pm
  - Wear long-sleeved shirts, pants, hats, and sunglasses

**INACTIVE INGREDIENTS:**  
Alumina, Cyclohexasiloxane, Cyclopentasilox-ane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI77491), Lauryl PEG/PPG-18/18-Hydrogen Dimethicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

**OTHER INFORMATION:**

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- PA+++



**L. MOORE AESTHETICS**

**THE ORIGINAL  
TINT**

**SPF 40  
mineral sunscreen**

**BROAD SPECTRUM | SHEER MATTE FINISH  
WATER RESISTANT (80 MINUTES)**

NET WT. 3 OZ / 85 G

**DRUG FACTS**  
**ACTIVE INGREDIENTS: PURPOSE:**  
Titanium Dioxide 8% Sunscreen  
Zinc Oxide 3.8%

**USES:** Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor

MANUFACTURED FOR:  
L. MOORE AESTHETICS  
lmooreaesthetics.com  
1815 S. 8TH ST | FERNANDINA BEACH, FL 32034



**ORIGINAL TINT**

titanium dioxide, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85768-201(NDC:58892-201)
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
-----------------	----------

<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>CI 77491</b> (UNII: 1K09F3G675)
<b>HYDROGEN DIMETHICONE (20 CST)</b> (UNII: 12Z59IF64N)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)
<b>CI 77492</b> (UNII: EX438O2MRT)
<b>CI 77499</b> (UNII: XM0M87F357)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>DIMETHICONOL (2000 CST)</b> (UNII: T74O12AN6Y)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85768-201-85	85 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/20/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/20/2024	

**Labeler** - L MOORE AESTHETICS (058812703)

Establishment			
Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(85768-201)

Establishment			
Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing INC		793406000	manufacture(85768-201)

Establishment			
Name	Address	ID/FEI	Business Operations
Fallien Cosmeceuticals Ltd.		958388357	relabel(85768-201)