

SENNALAXATIVE- sennosides tablet
McKesson (Sunmark)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6- 12 hours.

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablets once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: **calcium 25 mg**
- store between 25° C (77° F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, liquid paraffin*, magnesium stearate, maltodextrin*, microcrystalline cellulose, mineral oil*, polyethylene glycol*, polyvinyl alcohol*, silicon dioxide*, stearic acid*, sodium lauryl sulfate*, talc

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO SENOKOT® ACTIVE INGREDIENT**

senna laxative

Natural Vegetable Laxative Ingredient

Gentle, overnight relief

SENNOSIDES, 8.6 mg

Tablets

**This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Another Quality Product Distributed By McKesson

One Post Street, San Francisco, CA 94104

www.sunmarkbrand.com

Product Label



P.D-FZZW F0003020
 Lot No.:
 Exp. Date:

McKesson

Another Quality Product Distributed By McKesson
 One Post Street, San Francisco, CA 94104
 Money Back Guarantee
 Please visit us at www.sunmarkbrand.com

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.
 TAMPER EVIDENT CAP IS BROKEN OR MISSING, DO NOT USE.
 SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot®.

Drug Facts (continued)

Other information
 ■ each tablet contains: calcium 25 mg ■ store between 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients
 croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, liquid paraffin, dioleate, sodium lauryl sulfate, stearic acid, talc

Questions or comments? Call 1-877-753-9335 Monday-Friday 9AM-5PM EST

Drug Facts

Active ingredient (in each tablet)
 Sennosides 8.6 mg Laxative

Uses
 ■ relieves occasional constipation (regularly)
 ■ generally produces a bowel movement in 6-12 hours

Warnings
 Do not use
 ■ laxative products for longer than 1 week unless directed by a doctor
 Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks
 Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Sunmark Senna Laxative

SENNALAXATIVE

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-189
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	

Product Characteristics

Color	BROWN	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	0813;AV;TCL080;S8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-189-10	1 in 1 BOX	11/30/2015	12/31/2020
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	11/30/2015	12/31/2020

Labeler - McKesson (Sunmark) (177667227)