

MEIJER STOMACH RELIEF- bismuth subsalicylate tablet, chewable
Meijer Distribution Inc

Meijer Stomach Relief Bismuth Subsalicylate 30 Chewable Tablets

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Anti-diarrheal/ upset stomach reliever

Uses

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever

- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep Out of Reach of Children

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Directions

- chew completely or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and older:** 2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty clear fluids to help prevent dehydration caused by diarrhea.

Other information

- **each caplet contains:** salicylate 102 mg
- store at room temperature.
- avoid excessive heat
- keep this carton for future reference on full labeling

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF STRIP UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TEMPERING.

Inactive ingredients

D&C Red No. 27, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose,

sorbitol, sucralose.

Questions?

1-866-467-2748

Principal Display

meijer®

BDC# 41250-878-30

Compare To Pepto-Bismol® Caplets active ingredient*

Stomach relief

Bismuth Subsalicylate 262 mg

Soothing relief for Upset Stomach, Indigestion, Nausea, Heartburn and Diarrhea.

30 Chewable Tablets

OUR QUALITY GUARANTEE

WWW.MEIJER.COM/SATISFACTION

DIST. BY

MEIJER DISTRIBUTION, INC

GRAND RAPIDS, MI 49544

www.meijer.com

***This product is not manufactured or distributed by The Procter & Gamble Co., owner of the registered trademark Pepto-Bismol®.**

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	17mm
Flavor		Imprint Code	RP124
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-878-30	1 in 1 CARTON	03/14/2017	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/14/2017	

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2024

Meijer Distribution Inc