LAXATIVE REGULAR STRENGTH- sennosides tablet, sugar coated CVS PHARMACY

CVS 44-347

Active ingredient (in each tablet)

Sennosides USP, 15 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years	
and over	twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- each tablet contains: calcium 45 mg, magnesium 5 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

CVSHealth®

Compare to the active ingredient in ex•lax®*

Regular Strength **Laxative**SENNOSIDES USP, 15 mg

Stimulant laxative

- Gentle, dependable
- Constipation relief

30 TABLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark ex•lax®. 50844 REV0419A34701

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2020 CVS/pharmacy CVS.com® 1-800-SHOP CVS

V-14236

CVS® Quality Money Back Guarantee

Questions or comments? 1-800-426-9391

lauryl sulfate, sucrose, talc, titanium dioxide shellac glaze, silicon dioxide, sodium benzoate, sodium alcohol, povidone, propylene glycol, propylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl

Drug Facts (continued)

CVS Quality Money Back Guarantee Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2020 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
CVS.com® 1-800-SHOP CVS

GSK Consumer Healthcare S.A., owner of the registered trademark $\exp i x^{\circ}$. 50844 REV0419A34701 trademark ex•lax®. *This product is not manufactured or distributed by

> medical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get

betore use. If pregnant or breast-feeding, ask a health professional

may be signs of a serious condition.

have a bowel movement occur after use of a laxative. These Stop use and ask a doctor if rectal bleeding or failure to

When using this product do not use for a period longer

#246149

9

П

Take this product 2 or more hours before or after other any other drug. Laxatives may affect how other drugs work. Ask a doctor or pharmacist before use if you are taking

change in bowel habits that persists over a period of 2 Ask a doctor before use if you have noticed a sudden

or vomiting are present unless directed by a doctor. Do not use laxative products when abdominal pain, nausea, Warnings

Drug Facts (continued)

Active ingredient Drug Facts

yellow, magnesium stearate, methylparaben, dihydrate, iron oxide black, iron oxide red, iron oxide carnauba wax, corn starch, dibasic calcium phosphate Inactive ingredients acacia, calcium carbonate,

■ see end flap for expiration date and lot number

12,-30,C (26,-86,E) ■ store at 25°C (77°F); excursions permitted between

IS OPENED OR BLISTER IS TORN OR BROKEN

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE ■ each tablet contains: calcium 45 mg, magnesium 5 mg Other information

children under 6 years	sak a doctor
children 6 to under	1 tablet once or
12 years	twice daily
adults and children 12	2 tablets once or
years and over	twice daily
Directions ■ swallow tablet(s) with a glass ■ swallow tablet(s) whole; do no	ot water of water

■ generally produces bowel movement in 6 to 12 hours

Drug Facts (continued)

B-0231-347-01-H REV0419A34701

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

evitexal tnalumit2. .gm &f ,98U səbisonnə8 (in each tablet)

Purpose

COMPLETE PRODUCT INFORMATION KEEP OUTER PACKAGE FOR

■ relieves occasional constipation (irregularity)

Drug Facts (continued)

Compare to the active ingredient in ex•lax®*



♥CVSHeαlth。

CVS 44-347



sennosides tablet, sugar coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-347

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	15 mg

Inactive Ingredients Strength **Ingredient Name ACACIA** (UNII: 5C5403N260) **CALCIUM CARBONATE** (UNII: H0G9379FGK) CARNAUBA WAX (UNII: R12CBM0EIZ) STARCH, CORN (UNII: O8232NY3SJ) DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) FERROSOFERRIC OXIDE (UNII: XM0M87F357) FERRIC OXIDE RED (UNII: 1K09F3G675) FERRIC OXIDE YELLOW (UNII: EX43802MRT) MAGNESIUM STEARATE (UNII: 70097M6I30) **METHYLPARABEN** (UNII: A2I8C7HI9T) MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A) POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) PROPYLPARABEN (UNII: Z8IX2SC10H) **SHELLAC** (UNII: 46N107B710) SILICON DIOXIDE (UNII: ETJ7Z6XBU4) **SODIUM BENZOATE** (UNII: 0|245FE5EU) **SODIUM LAURYL SULFATE (UNII: 368GB5141J)** SUCROSE (UNII: C151H8M554) TALC (UNII: 7SEV7J4R1U) TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product CharacteristicsColorbrown (Tan)Scoreno scoreShapeROUNDSize10mmFlavorImprint Code44;347ContainsImprint CodeImprint Code

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842- 347-01	2 in 1 CARTON	12/08/2003	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	505G(a)(3)	12/08/2003			

Labeler - CVS PHARMACY (062312574)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(69842-347)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(69842-347) , pack(69842-347)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-347)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(69842-347)

Revised: 6/2025 CVS PHARMACY