

NALOXONE HYDROCHLORIDE- naloxone hydrochloride spray **Walgreen Co.**

Naloxone Hydrochloride Nasal Spray

Active ingredient (in each spray)

Naloxone hydrochloride 4 mg

Purpose

Emergency treatment of opioid overdose

Use(s)

- to “revive” someone during an overdose from many prescription pain medications or street drugs such as heroin
- this medicine can save a life

Warnings

When using this product

some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Directions



Step 1: CHECK if you suspect an overdose

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell “Wake up!”
- shake the person gently
- if the person is not awake, go to Step 2



Step 2: GIVE 1st dose in the nose


- **HOLD** the nasal spray device with your thumb on the bottom of the plunger
- **INSERT** the nozzle into either NOSTRIL
- **PRESS** the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose



Step 3: CALL 911

- **CALL 911** immediately after giving the 1st dose

④ WATCH/GIVE



Step 4: WATCH & GIVE

- **WAIT** 2 to 3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
- **CONTINUE TO GIVE** doses every 2 to 3 minutes until the person wakes up

- it is safe to keep giving doses



Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

Other information

- store at room temperature or refrigerated, between 2°C to 25°C (36°F to 77°F)
- do not freeze
- avoid excessive heat above 40°C (104°F)
- protect from light
- this product is packaged in individually-sealed blisters. Do not use if the blister is open or torn, or if the device appears damaged.

Inactive ingredients

benzalkonium chloride, disodium ethylenediaminetetraacetate, hydrochloric acid, purified water, and sodium chloride

Questions or comments?

1-877-835-5472 (Mon-Fri, 9AM-5PM EST)

DIRECTIONS

Naloxone Hydrochloride Nasal Spray, 4 mg

Emergency Treatment of Opioid Overdose

Important:

- For use in the nose only
- Do not test nasal spray device before use
- 1 nasal spray device contains 1 dose of medicine
- Each device sprays 1 time only

NOZZLE

PLUNGER



Step 1: CHECK if you suspect an overdose:

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell “Wake up!”
- shake the person gently
- if the person is not awake, go to Step 2



Step 2: GIVE 1st dose in the nose


- **HOLD** the nasal spray device with your thumb on the bottom of the plunger
- **INSERT** the nozzle into either NOSTRIL
- **PRESS** the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose



Step 3: CALL 911

- **CALL 911** immediately after giving the 1st dose

④ WATCH/GIVE



Step 4: WATCH AND GIVE

- **WAIT** 2 to 3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
 - **CONTINUE TO GIVE** doses every 2 to 3 minutes until the person

wakes up

- it is safe to keep giving doses



Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

For opioid emergencies, call 911. For questions or more information about Naloxone Hydrochloride Nasal Spray, contact Amneal Pharmaceuticals at 1-877-835-5472.

Rev. 07-2023-04

Principal Display Panel

Drug Facts (continued)

Directions

1 CHECK



Step 1: CHECK if you suspect an overdose

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell "Wake up!"
- shake the person gently
- if the person is not awake, go to Step 2

2 GIVE



Step 2: GIVE 1st dose in the nose

- **HOLD** the nasal spray device with your thumb on the bottom of the plunger
- **INSERT** the nozzle into either NOSTRIL
- **PRESS** the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose

3 CALL



Step 3: CALL 911

- **CALL 911** immediately after giving the 1st dose

4 WATCH/GIVE



Step 4: WATCH & GIVE

- **WAIT** 2 to 3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
 - **CONTINUE TO GIVE** doses every 2 to 3 minutes until the person wakes up
 - it is safe to keep giving doses

5 STAY



Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

Drug Facts (continued)

Warnings

When using this product some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Other information

- store at room temperature or refrigerated, between 2°C to 25°C (36°F to 77°F)
- do not freeze
- avoid excessive heat above 40°C (104°F)
- protect from light
- this product is packaged in individually-sealed blisters. Do not use if the blister is open or torn, or if the device appears damaged.

Inactive ingredients

benzalkonium chloride, disodium ethylenediaminetetraacetate, hydrochloric acid, purified water, and sodium chloride

Questions or comments?

1-877-835-5472 (Mon-Fri, 9AM-5PM EST)

Safe to use even if opioids are not present.

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. **This product is not manufactured or distributed by Emergent Operations Ireland Limited, owner of the registered trademark Narcan®.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015

Walgreens
100% SATISFACTION GUARANTEED

walgreens.com ©2023 Walgreen Co.
ITEM 894064 REV0723



3 11917 04033 2

W30RG0723-F

ORIGINAL PRESCRIPTION STRENGTH

NDC 0363-2140-02

Walgreens

Compare to the active ingredient in Narcan®††



Naloxone HCl Nasal Spray, 4mg

EMERGENCY TREATMENT OF OPIOID OVERDOSE

- Designed to rapidly reverse the effects of a life-threatening opioid emergency
- Easy to use
- Can save a life


2
SINGLE-DOSE NASAL SPRAY DEVICES



NOT ACTUAL SIZE
FOR USE IN NOSE ONLY

NET WT 0.003 FL OZ (0.1 mL) EACH

FOR USE IN NOSE ONLY



Do not test nasal spray device before use.

1 nasal spray device contains 1 dose of medicine.

Each device sprays 1 time only.

Read directions before use. ▶

Drug Facts

Active ingredient (in each spray)	Purpose
Naloxone hydrochloride 4 mg	Emergency treatment of opioid overdose

Uses

- to "revive" someone during an overdose from many prescription pain medications or street drugs such as heroin
- this medicine can save a life



NALOXONE HYDROCHLORIDE

naloxone hydrochloride dose spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2140
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NALOXONE HYDROCHLORIDE (UNII: F850569PQR) (NALOXONE - UNII:36B82AMQ7N)	NALOXONE HYDROCHLORIDE	4 mg in 0.1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
WATER (UNII: 059QF0K00R)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	

Product Characteristics

Color	white (clear, colorless to faintly yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2140-02	2 in 1 CARTON	04/24/2024	
1	NDC:0363-2140-01	0.1 mL in 1 VIAL; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217992	04/24/2024	

Labeler - Walgreen Co. (008965063)

Revised: 4/2024

Walgreen Co.