

**WART CORN REMOVER- salicylic acid 40% patch**  
**Shenzhen Haizhida E-commerce Co., Ltd**

-----  
**85825-002 WART CORN REMOVER**

Salicylic acid 40%

Wart and Corn Remover

For the removal of warts and corns.

For external use only.

On irritated, infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them; on mucous membranes.

Avoid contact with eyes or face. If the product gets into the eyes, rinse thoroughly with water.

Stop use and ask a doctor if discomfort persists or worsens

Ask a doctor if you have diabetes or poor blood circulation.

If swallowed, get medical help or contact a Poison control Center right away.

Wash the affected area thoroughly with warm water (Optional: soak the wart in warm water for 5 minutes.)

Dry the area thoroughly. If needed, cut the plaster to fit the wart. Apply the medicated plaster, Repeat every 48 hours as needed, for up to 12 weeks. Other information: Store between 59°F and 86°F (15°C and 30°C)."

Lanolin

Hard paraffin

Petrolatum

Phenol

C03.9990082



100\*130\*50 350g 银卡 纳米UV 液压

**OPPLII**  
**WART & CORN REMOVER PADS**  
Instructions

**Drug Facts**  
Active Ingredient  
Salicylic acid 40%.....Wart and Corn Remover  
Purpose  
Wart and Corn Remover

**Use**  
For the removal of warts and corns.

**Warnings**  
For external use only.

**Do not use**  
On irritated, infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them; on mucous membranes.

**When Using**  
Avoid contact with eyes or face. If the product gets into the eyes, rinse thoroughly with water.

**Stop use and ask a doctor if discomfort persists or worsens**  
Ask a doctor if you have diabetes or poor blood circulation.

**Keep out of reach of children**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Wash the affected area thoroughly with warm water (Optional: soak the wart in warm water for 5 minutes.)  
Dry the area thoroughly. If needed, cut the plaster to fit the wart. Apply the medicated plaster. Repeat every 48 hours as needed, for up to 12 weeks.  
Other information: Store between 59°F and 86°F (15°C and 30°C).\*

**Inactive ingredients**  
hard paraffin, lanolin, phenol, petrolatum

**OPPLII** **OPPLII** **OPPLII**

**WART & CORN REMOVER PADS**

**ONE STEP PADS WITH SALICYLIC ACID**

**42 PADS**

**WART & CORN REMOVER PADS**

**Drug Facts**  
Active Ingredient  
Salicylic acid 40%.....Wart and Corn Remover  
Purpose  
Wart and Corn Remover

**Use**  
For the removal of warts and corns.

**Warnings**  
For external use only.

**Do not use**  
On irritated, infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them; on mucous membranes.

**When Using**  
Avoid contact with eyes or face. If the product gets into the eyes, rinse thoroughly with water.

**Stop use and ask a doctor if discomfort persists or worsens**  
Ask a doctor if you have diabetes or poor blood circulation.

**Keep out of reach of children**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Wash the affected area thoroughly with warm water .  
(Optional: soak the wart in warm water for 5 minutes.)  
Dry the area thoroughly. If needed, cut the plaster to fit the wart. Apply the medicated plaster. Repeat every 48 hours as needed, for up to 12 weeks.  
Other information: Store between 59°F and 86°F (15°C and 30°C).\*

**Inactive ingredients**  
hard paraffin, lanolin, phenol, petrolatum

MADE IN CHINA BY JIANCO HERB  
PHARMACEUTICAL CO., LTD.  
4th Floor, Building 1916, Phase II,  
Zhangjiashan Industrial Park, Suzhou  
Zhangjiashan, Yixian, Jiangsu 215228, CHINA (CN)

6 974603 169422 2

## WART CORN REMOVER

salicylic acid 40% patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85825-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.4 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PHENOL</b> (UNII: 339NCG44TV)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85825-002-	42 in 1 PATCH; Type 0: Not a Combination	06/23/2025	

01	Product	06/23/2025	
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	06/23/2025	

**Labeler** - Shenzhen Haizhida E-commerce Co., Ltd (509640283)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(85825-002)

Revised: 6/2025

Shenzhen Haizhida E-commerce Co., Ltd