

**ALLERGY RELIEF- diphenhydramine hcl tablet  
DOLGENCORP INC**

-----  
**Diphenhydramine HCl 50 mg tablet, Dollar General, allergy relief**

***Active ingredient (in each capsule)***

Diphenhydramine HCl 50 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or the other upper respiratory allergies:
- runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

***Warnings***

- May cause excitability especially in children.
- May cause marked drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect.

***Do not use***

- for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin.

***Ask a doctor before use if you have***

- glaucoma ■ a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

***Ask a doctor or pharmacist before use***

if you are taking sedatives or tranquilizers.

***When using this product***

- avoid alcoholic beverages ■ be careful when driving a motor vehicle or operating machinery

***Stop use and ask a doctor if***

sleeplessness persists continuously for more than 2 weeks

***If pregnant or breast- feeding,***

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Centre right away.

**Directions**

adults and children 12 years and over	■ take 1 tablet every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 tablets in 24 hours
children under 12 years	do not use

**Other information**

■ each tablet contains: calcium 36 mg ■ store between 20-25°C (68-77°F). Protect from light.

■ **do not use if blister unit is torn or broken**

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions or comments?**

**call toll-free 1-888-235-2466** (Mon - Fri 9AM - 5PM EST)

†This product is not manufactured or distributed by the owners of Benadryl® Allergy Extra Strength.

**THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER-EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY OLD EAST MAIN CO.**

**100 MISSION RIDGE GOODLETTSVILLE, TN 37072**

**MADE IN INDIA**

**CODE: TN/DRUGS/TN00002222/2006**

**100%**

**Satisfaction Guaranteed!**

(888) 309-9030

949129331

L0000959

R0225

**carton**

**†Compare to the**

**active ingredient of  
Benadryl® Allergy**

**Extra Strength**

**DG™ health**

**Extra Strength**

**Allergy Relief**

**diphenhydramine HCl Tablets, 50 mg  
Antihistamine**

**Relieves:**

- Sneezing • Itchy throat or nose
- Runny nose • Itchy, watery eyes

**50**

**mg each**

**24 Tablets**

**Drug Facts**

**Active ingredient (in each tablet)** Diphenhydramine HCl 50 mg, Antihistamine

**Uses**  
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes  
 ■ itching of the nose or throat

**Warnings**  
 ■ May cause excitability especially in children.  
 ■ May cause marked drowsiness, alcohol, sedatives, and tranquilizers may increase the drowsiness effect.  
 ■ Do not use ■ for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin.  
 ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ difficulty in urination due to enlargement of the prostate gland  
 ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
 ■ When using this product ■ avoid alcoholic beverages ■ be careful when driving a motor vehicle or operating machinery  
 ■ Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks  
 ■ If pregnant or breast-feeding, ask a health professional before use.  
 ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ adults and children 12 years and over ■ take 1 tablet every 4 to 6 hours, or as directed by a doctor  
 ■ do not take more than 6 tablets in 24 hours  
 ■ children under 12 years ■ do not use

**Other information**  
 ■ each tablet contains: calcium 36 mg ■ store between 20-25°C (68-77°F). Protect from light.  
 ■ do not use if blister unit is torn or broken

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions or comments?** call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

DISTRIBUTED BY OLD EAST MANU CO.  
 100 MISSION RIDGE  
 GOODLETTSVILLE, TN 37072  
 MADE IN INDIA  
 CODE: TN/DRUGS/TN0000222/2006  
 849129331  
 L0000969  
 100% Satisfaction Guaranteed!  
 (888) 308-0030  
 80225

UVA  
 24 mm x 55 mm  
 (Lot and Exp Online Printing)

T00229R0724

**Extra Strength Allergy Relief**  
 Diphenhydramine HCl Tablets, 50 mg  
 Antihistamine



†Compare to the active ingredient of Benadryl® Allergy Extra Strength

**Extra Strength Allergy Relief**  
 Diphenhydramine HCl Tablets, 50 mg  
 Antihistamine

- Relieves:
- Sneezing
  - Itchy throat or nose
  - Runny nose
  - Itchy, watery eyes

**50**  
mg each




**24 Tablets**

Actual Tablet Size

**Extra Strength Allergy Relief**  
 Diphenhydramine HCl Tablets, 50 mg  
 Antihistamine

This product is not manufactured or distributed by the owners of Benadryl® Allergy Extra Strength.  
 THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER-EVIDENT PACKAGE. USE ONLY IF BLISTER ARE UNDAUNTED.  
 KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



A1736



10010

# ALLERGY RELIEF

diphenhydramine hcl tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-450
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	DH50
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-450-12	2 in 1 CARTON	06/24/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/24/2025	

**Labeler** - DOLGENCORP INC (068331990)

**Registrant** - Bionpharma Inc. (079637826)

**Establishment**

Name	Address	ID/FEI	Business Operations
OrBion Pharmaceuticals Private Limited		854403569	manufacture(55910-450) , pack(55910-450)

Revised: 6/2025

DOLGENCORP INC