

**MERET STING RELIEF PAD- benzocaine, isopropyl alcohol patch**  
**Changzhou Maokang Medical Products Co., Ltd.**

-----

Topical  
SERIES

MERET®

# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.



meretusa meretusa.com meret

For more  
information



Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

**Drug Facts**

Active Ingredients	Purpose
Benzocaine, 6% w/v .....	Topical Antiseptic
Isopropyl Alcohol 60% w/v .....	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

**Warnings**  
For external use only.  
Flammable, keep away from fire or flame.  
Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**  
If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT : EXP :

Topical  
SERIES

MERET®

# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.



meretusa meretusa.com meret

For more  
information



Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

**Drug Facts**

Active Ingredients	Purpose
Benzocaine, 6% w/v .....	Topical Antiseptic
Isopropyl Alcohol 60% w/v .....	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

**Warnings**  
For external use only.  
Flammable, keep away from fire or flame.  
Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**  
If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT : EXP :

Topical  
SERIES



# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.

 meretusa  meretusa.com  meret

## Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

For more  
information



## Drug Facts

Active Ingredients	Purpose
Benzocaine, 6% w/v	Topical Antiseptic
Isopropyl Alcohol 60% w/v	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

## Warnings

For external use only.  
Flammable, keep away from fire or flame.

Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

## Keep out of reach of children.

If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT :

EXP :

Topical  
SERIES



# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.

 meretusa  meretusa.com  meret

## Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

For more  
information



## Drug Facts

Active Ingredients	Purpose
Benzocaine, 6% w/v	Topical Antiseptic
Isopropyl Alcohol 60% w/v	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

## Warnings

For external use only.  
Flammable, keep away from fire or flame.

Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

## Keep out of reach of children.

If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT :

EXP :

Topical  
SERIES



# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.

 meretusa  meretusa.com  meret

## Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

For more  
information



## Drug Facts

Active Ingredients	Purpose
Benzocaine, 6% w/v	Topical Antiseptic
Isopropyl Alcohol 60% w/v	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

## Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

## Keep out of reach of children.

If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT :

EXP :

Topical  
SERIES



# Sting Relief Pad

Antiseptic and pain reliever  
wipe for insect bites.

 meretusa  meretusa.com  meret

## Instructions

- Clean the wound area.
- Place the sting relief pad over the sting or bite.
- Let affected area dry.

For more  
information



## Drug Facts

Active Ingredients	Purpose
Benzocaine, 6% w/v	Topical Antiseptic
Isopropyl Alcohol 60% w/v	Antiseptic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insects bites.

## Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

## Keep out of reach of children.

If swallowed get medical help or contact Poison Control Center right away.


**Directions** Adults and children 2 years or older:  
Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** purified water

LOT :

EXP :





## MERET STING RELIEF PAD

benzocaine, isopropyl alcohol patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59050-105
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	60 mg in 1 mL
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	600 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

Color		Score	
Shape		Size	50mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59050-105-01	4 mL in 1 POUCH; Type 0: Not a Combination Product	06/25/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/25/2025	

**Labeler** - Changzhou Maokang Medical Products Co., Ltd. (421317073)**Registrant** - Changzhou Maokang Medical Products Co., Ltd. (421317073)**Establishment**

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical Products Co., Ltd.		421317073	manufacture(59050-105)

Revised: 6/2025

Changzhou Maokang Medical Products Co., Ltd.