

ESOMEPRAZOLE MAGNESIUM- esomeprazole magnesium capsule, delayed release
Walmart Inc.

Walmart Esomeprazole Magnesium Delayed-Release Capsules USP, 20 mg

Drug Facts

Esomeprazole Magnesium Delayed-Release Capsules USP, 20 mg

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose

Acid Reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:
 - o skin reddening
 - o blisters
 - o rash

If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- o swallow 1 capsule with a glass of water before eating in the morning
- o take every day for 14 days
- o do not take more than 1 capsule a day
- o swallow whole. Do not crush or chew capsules.
- o do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- o you may repeat a 14-day course every 4 months
- o **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use

- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

black iron oxide, eudragit, FD&C blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polysorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

Call **1-888-287-1915**

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

Satisfaction Guaranteed
For more information call
1-888-287-1915
or visit Walmart.com/help

DISTRIBUTED BY: Walmart Inc.,
Bentonville, AR 72716
PRODUCT OF INDIA
*This product is not manufactured or
distributed by Hialeah group of
companies, owner of the registered
trademark Nexium® 24HR.

7181 0825

Three 14-day courses
of treatment

42
CAPSULES

Actual Size



Acid Reducer
Treats Frequent Heartburn
• May take 1 to 4 days for full effect



Capsules USP, 20 mg

801350



6 81131 08958 6



Drug Facts (continued)

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information ■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20-25°C (68-77°F)

Inactive ingredients

black iron oxide, eudragit, FD&C blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polysorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate.

Questions or comments? Call 1-888-287-1915

equate™
Esomeprazole
Magnesium
Delayed-Release
Capsules USP, 20 mg

NDC 79903-382-14

24
HOUR

14
CAPSULES

One 14-day course
of treatment

Acid Reducer
Treats Frequent Heartburn
• May take 1 to 4 days
for full effect

**TAMPER EVIDENT: DO NOT USE IF THE IMPRINTED
FOIL SEAL UNDER BOTTLE CAP OR BAND AROUND THE
CENTER OF EACH CAPSULE IS BROKEN OR MISSING**

**RETAIN CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION**

Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg Acid reducer
(Each delayed-release capsule corresponds to
22.3 mg esomeprazole magnesium trihydrate)

Uses

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:

- skin reddening
- blisters
- rash

Drug Facts (continued under label)

DISTRIBUTED BY:

Walmart Inc.,
Bentonville, AR 72716
PRODUCT OF INDIA
7181 0825 801350



LOT:

EXP.:



Drug Facts (continued)

If an allergic reaction occurs, stop use and seek medical attention right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules

- do not use for more than 14 days unless directed by your doctor
- **Repeated 14-Day Courses (if needed)** you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**

■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other Information

- read the directions and warnings before use
- keep the carton. It contains important information.

■ store at 20-25°C (68-77°F)

Questions or comments?
Call 1-888-287-1915

STOP PEELING

LOT:
EXP.:

equateTM

Esomeprazole Magnesium

Delayed-Release



NDC 79903-382-42

SEE NEW WARNING

3 PACK

equateTM

Esomeprazole Magnesium

Delayed-Release
Capsules USP, 20 mg
Acid Reducer



Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg.....Acid reducer
(Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:
 - skin reddening ■ blisters ■ rash

If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.

RETAIN CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF THE
IMPRINTED FOIL SEAL UNDER BOTTLE
CAP OR BAND AROUND THE CENTER OF
EACH CAPSULE IS BROKEN OR MISSING



ESOMEPRAZOLE MAGNESIUM			
esomeprazole magnesium capsule, delayed release			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-382
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ESOMEPRAZOLE MAGNESIUM (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII:N3PA6559FT)		ESOMEPRAZOLE	20 mg
Inactive Ingredients			
Ingredient Name			Strength
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)			
SHELLAC (UNII: 46N107B71O)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
SUCROSE (UNII: C151H8M554)			
TALC (UNII: 7SEV7J4R1U)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			
STARCH, CORN (UNII: O8232NY3SJ)			
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)			
SODIUM LAURYL SULFATE (UNII: 368GB5141J)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)			
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)			
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
Product Characteristics			
Color	purple (golden cap and violet transparent body having light violet to violet colour band)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint	75

Flavor				Code	75
Contains					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:79903-382-42	3 in 1 CARTON	09/20/2025		
1	NDC:79903-382-14	14 in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA		ANDA217264	09/20/2025		

Labeler - Walmart Inc. (051957769)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment			
Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(79903-382)