**PAIN RELIEVER AND FEVER REDUCER- acetaminophen tablet, film coated**
**Spirit Pharmaceuticals LLC**

---

**Pain Reliever and Fever Reducer**

## *Drug Facts*

### *Active Ingredient (in each tablet)*

Acetaminophen 500 mg

### *Purpose*

Pain reliever/fever reducer

### *Uses*

• temporarily relieves minor aches and pains due to: • the common cold • headache • backache • minor pain of arthritis • toothache • muscular aches • premenstrual and menstrual cramps • temporarily reduces fever

### *Warning*

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
• more than 4,000 mg of acetaminophen in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

• with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product

### Ask a doctor before use if you have

liver disease

### Ask a doctor or pharmacist before use if you are if you are

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

• pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

do not take more than directed (see overdose warning)

| | |
|---|---|
| adults & children 12 years & over | • take 2 tablets every 6 hours while symptoms last<br>• do not take more than 6 tablets in 24 hours, unless directed by a doctor<br>• do not use for more than 10 days unless directed by a doctor |
| children under 12 years | ask a doctor |

***Other information***

• store between 20–25°C (68–77°F)

***Inactive ingredients***

Hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

***Inactive ingredients***

**1-888-333-9792**

**Distributed by:**

Cabinet Health P.B.C.

## Pouch

PACKAGE NOT CHILD-RESISTANT

CABINET:

# Pain Reliever & Fever Reducer

**Compare to the active ingredient in:**
Extra Strength Tylenol®*

**Active ingredient:**
ACETAMINOPHEN 500 MG

**Relieves:**
Headache
Fever
Muscle Aches and Pains
Menstrual Cramps

**COMPOSTABLE REFILL POUCH**

**Includes:**

30 x Caplets

1 x Magnetic Label
1 x Drug Facts Booklet

Certified B Corporation

CABINET: The Sustainable Healthcare Co.™

**PAIN RELIEVER AND FEVER REDUCER**
acetaminophen tablet, film coated

## Product Information

| | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:68210-4168 |
| **Route of Administration** | ORAL | | |

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---|---|
| **ACETAMINOPHEN** (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **HYPROMELLOSES** (UNII: 3NXW29V3WO) | |
| **MAGNESIUM STEARATE** (UNII: 70097M6I30) | |
| **MICROCRYSTALLINE CELLULOSE** (UNII: OP1R32D61U) | |
| **POLYETHYLENE GLYCOL, UNSPECIFIED** (UNII: 3WJQ0SDW1A) | |
| **POVIDONE, UNSPECIFIED** (UNII: FZ989GH94E) | |
| **STARCH, CORN** (UNII: O8232NY3SJ) | |
| **STEARIC ACID** (UNII: 4ELV7Z65AP) | |
| **TALC** (UNII: 7SEV7J4R1U) | |
| **TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) | |

## Product Characteristics

| | | | |
|---|---|---|---|
| **Color** | white | **Score** | no score |
| **Shape** | CAPSULE | **Size** | 18mm |
| **Flavor** | | **Imprint Code** | S500 |
| **Contains** | | | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:68210-4168-3 | 30 in 1 POUCH; Type 0: Not a Combination Product | 11/22/2021 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC Monograph Drug | M013 | 11/22/2021 | |

## Labeler - Spirit Pharmaceuticals LLC (179621011)