

# WART REMOVER (SALICYLIC ACID) LIQUID- salicylic acid liquid

## Shenzhen Finona Information Technology Co., Ltd

### 85839-003 WART REMOVER (salicylic acid) liquid

Salicylic Acid 5%

Wart remover

.To remove warts such as plantar wart, flatwart. common wart and corns, calluses.  
.The plantar wart is recognized by it location only on the bottom of the foot it's tenderness, and the interruption of the footprint pattern.

The liquid can get easily volatilized & crystallized, tighten the cap after use.

Avoid long-term contact with air while using.

For external use only, don't contact with eyes or swallow, Children should use it under the supervision of adults.

.On damaged skin(cuts, abrasions, eczema, sunburn.

.If you are allergic to any of the ingredients in this product.

.If you are pregnant or breastfeeding,

.If swallowed, get medical help or contact a Poison Control Center right away.

.Wash the affected area.

.May soak the wart in warm water for 5 minutes.

.Dry area thoroughly.

.Using the applicator(cotton swab), apply a layer of ointment to sufficiently cover each wart.


.Allow it to fully absorb and cover it with a bandage as needed.

.Repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks.

Shard paraffin

lanolin

phenol



Apply to the affected area. Soak the wart in warm water for 5 minutes. Dry area thoroughly. Using the applicator(cotton swab), apply a layer of ointment to sufficiently cover each wart. Allow it to fully absorb and cover it with a bandage as needed. Repeat this procedure once or twice daily as needed until the wart is removed for up to 12 weeks.

**WART REMOVER**

0.7 FL.OZ/20ml

NATURAL FORMULA

**WARNINGS**  
The liquid can get easily volatilized & crystallized. Tighten the cap after use. Avoid long-term contact with air while using. For external use only, don't contact with eyes or swallow. Children should use it under the supervision of adults.

**DO NOT USE**  
On damaged skin/cuts, abrasions, eczema, sunburn. If you are allergic to any of the ingredients in this product. If you are pregnant or breastfeeding.

it with a bandage as needed.

•Repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks.

**OTHER INFORMATION:**  
•Store between 68°F to 77°F (20°C to 25°C).  
Protect from excessive heat above 104°F (40°C).

**ASK DOCTOR**  
See a doctor as you may have a more serious skin condition.

**INACTIVE INGREDIENT**  
Shard paraffin, lanolin, phenol.

**REMOVER**

Root-remove  
Soften & peel  
Fits all wart types  
Safe/natural/potent

0.7 FL.OZ/20ml

NATURAL FORMULA

location only on the bottom of the foot it's tenderness, and the interruption of the footprint pattern.

**WARNINGS**  
•The liquid can get easily volatilized & crystallized. Tighten the cap after use.  
•Avoid long-term contact with air while using.  
•For external use only, don't contact with eyes or swallow. Children should use it under the supervision of adults.

**DO NOT USE**  
•On damaged skin/cuts, abrasions, eczema, sunburn.  
•If you are allergic to any of the ingredients in this product.  
•If you are pregnant or breastfeeding.

**KEEP OUT OF REACH OF CHILDREN**  
•If swallowed, get medical help or contact a Poison Control Center right away.

**REMOVER**

Root-remove  
Soften & peel  
Fits all wart types  
Safe/natural/potent

0.7 FL.OZ/20ml

NATURAL FORMULA

Made in China

**DIRECTION**  
Wash the affected area. Soak the wart in warm water for 5 minutes. Dry area thoroughly. Using the applicator(cotton swab), apply a layer of ointment to sufficiently cover each wart. Allow it to fully absorb and cover it with a bandage as needed. Repeat this procedure once or twice daily as needed until the wart is removed for up to 12 weeks.

**WART REMOVER**

SAFE/NATURAL/POTENT

0.7 FL.OZ / 20ml

**PURPOSE**  
Wart remover

**WARNINGS**  
The liquid can get easily volatilized & crystallized. Tighten the cap after use. Avoid long-term contact with air while using. For external use only, don't contact with eyes or swallow. Children should use it under the supervision of adults.

**DO NOT USE**  
On damaged skin/cuts, abrasions, eczema, sunburn. If you are allergic to any of the ingredients in this product. If you are pregnant or breastfeeding.

**DIRECTION**  
•Wash the affected area.  
•May soak the wart in warm water for 5 minutes.  
•Dry area thoroughly.  
•Using the applicator(cotton swab), apply a layer of ointment to sufficiently cover each wart.  
•Allow it to fully absorb and cover it with a bandage as needed.  
•Repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks.

**OTHER INFORMATION:**  
•Store between 68°F to 77°F (20°C to 25°C).  
Protect from excessive heat above 104°F (40°C).

**ASK DOCTOR**  
See a doctor as you may have a more serious skin condition.

**INACTIVE INGREDIENT**  
Shard paraffin, lanolin, phenol.

**WART REMOVER**

SAFE/NATURAL/POTENT

- Root-remove
- Soften & peel
- Fits all wart types

0.7 FL.OZ / 20ml

**DURG FACTS**  
ACTIVE INGREDIENT  
Salicylic Acid.....5.0%

**PURPOSE**  
Wart remover

**USES**  
•To remove warts such as planter wart, flat wart, common wart and corns, calluses.  
•The planter wart is recognized by it location only on the bottom of the foot it's tenderness, and the interruption of the footprint pattern.

**WARNINGS**  
•The liquid can get easily volatilized & crystallized. Tighten the cap after use.  
•Avoid long-term contact with air while using.  
•For external use only, don't contact with eyes or swallow. Children should use it under the supervision of adults.

**DO NOT USE**  
•On damaged skin/cuts, abrasions, eczema, sunburn.  
•If you are allergic to any of the ingredients in this product.  
•If you are pregnant or breastfeeding.

**KEEP OUT OF REACH OF CHILDREN**  
•If swallowed, get medical help or contact a Poison Control Center right away.

**WART REMOVER**

SAFE/NATURAL/POTENT

- Root-remove
- Soften & peel
- Fits all wart types

0.7 FL.OZ / 20ml

**WART REMOVER (SALICYLIC ACID) LIQUID**  
salicylic acid liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85839-003
---------------------	----------------	---------------------------	---------------

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.05 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>PHENOL</b> (UNII: 339NCG44TV)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85839-003-01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	06/26/2025	

**Labeler** - Shenzhen Finona Information Technology Co., Ltd (511271543)

### Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Finona Information Technology Co., Ltd		511271543	manufacture(85839-003)

Revised: 12/2025

Shenzhen Finona Information Technology Co., Ltd