## LIDOCAINE PATCH- lidocaine patch Shenzhen Finona Information Technology Co., Ltd

-----

## 85839-008 Lidocaine Patch

Lidocaine 4%

**Topical Anesthetic** 

Temporarily relieves minor pain

For external use only

More than one patch on your body at a time On cut, initated or swollen skin Onpuncture wounds. For more than one week without consulting a doctor lf you are allergicto any active or inactive ingredients If pouch is damaged or opened.


When using this product Use only as directed Read and follow alldirections and waringson this carton Do not allow contact with the eyes. Do not use at the same time as othertopical analgesics Do not bandage tightly orapply local heat (such as heating pads) to thearea of use Dispose of usedpatch inmanner that always keeps product away from childrenand pets, Used patches stil contain the drug product that can produce serious adverse effectsifa child or pet chews or ingests this patch.

Stop use and consult a doctor if, Condition worsens,Redness is present Irritationdevelops Symptoms persist for more than 7 days or clear up and occur again within afew days You experience signs of skin injury, such as pain, swelling or blistering wherethe product was applied.

Keep out of reach of children and pets

Adults and children 12 years of age and over: Clean and dry affected area.Carefully remove backing from patchstarting at a corner. Apply sticky side of patchto affected area.Use one patch for up to 12 hours. Discard patch aftersingleuse. Children under 12 years of age: consult a physician.

Aluminum Glycinate Aluminum Hydroxide Cellulose Gum DMDM hydantoin Glycerin Polyacrylic Acid Polysorbate 80 Propylene Glycol Ricinus Communis Seed Oil (castor) Silica Sodium Polyacrylate Tartaric Acid Titanium Dioxide Urea Water



LIDOCAINE PATCH					
lidocaine patch					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:8	5839-008
Route of Administration	TOPICAL				
<b>Active Ingredient/Active</b>	Moiety				
Ingree	dient Name		Basis of Stre	ngth	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE		0.04 g
Inactive Ingredients					
	Ingredient Name				Strength
ALUMINUM GLYCINATE (UNII: 1K	(713C615K)				
ALUMINUM HYDROXIDE (UNII: 50	QB0T2IUN0)				

	•	JNII: K679OBS311)		
D٨	IDM HYDANTOIN	I (UNII: BYR0546TOW)		
GL	YCERIN (UNII: PD	C6A3C0OX)		
PR	OPYLENE GLYCO	<b>DL</b> (UNII: 6DC9Q167V3)		
SIL	LICA (UNII: ETJ7Z6	SXBU4)		
so	DIUM POLYACR	<b>YLATE (2500000 MW)</b> (UNII: 05I15JNI2J)		
ТΑ	RTARIC ACID (UN	III: W4888I119H)		
ТΙ٦	ANIUM DIOXIDE	(UNII: 15FIX9V2JP)		
РО	LYSORBATE 80	(UNII: 60ZP39ZG8H)		
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)				
RIC	CINUS COMMUN	S (CASTOR) SEED OIL (UNII: D5340Y2I9G)		
w	ATER (UNII: 059QI	F0KO0R)		
UR	EA (UNII: 8W8T17	847W)		
Pa	ackaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85839-008-	30 in 1 PATCH; Type 0: Not a Combination Product	06/26/2025	

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M017	06/26/2025	

Labeler - Shenzhen Finona Information Technology Co., Ltd (511271543)

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Shenzhen Finona Information Technology Co., Ltd		511271543	manufacture(85839-008)

Revised: 6/2025

Shenzhen Finona Information Technology Co., Ltd