

LIDOCAINE PATCH- lidocaine patch
Shenzhen Finona Information Technology Co., Ltd

85839-008 Lidocaine Patch

Lidocaine 4%

Topical Anesthetic

Temporarily relieves minor pain

For external use only

More than one patch on your body at a time On cut, initated or swollen skin Onpuncture wounds. For more than one week without consulting a doctor If you are allergicto any active or inactive ingredients If pouch is damaged or opened.

When using this product Use only as directed Read and follow alldirections and waringson this carton Do not allow contact with the eyes. Do not use at the same time as othertopical analgesics Do not bandage tightly orapply local heat (such as heating pads) to thearea of use Dispose of usedpatch inmanner that always keeps product away from childrenand pets, Used patches stil contain the drug product that can produce serious adverse effectsifa child or pet chews or ingests this patch.

Stop use and consult a doctor if, Condition worsens,Redness is present Irritationdevelops Symptoms persist for more than 7 days or clear up and occur again within afew days You experience signs of skin injury, such as pain, swelling or blistering wherethe product was applied.

Keep out of reach of children and pets

Adults and children 12 years of age and over: Clean and dry affected area.Carefully remove backing from patchstarting at a corner. Apply sticky side of patchto affected area.Use one patch for up to 12 hours. Discard patch aftersingleuse. Children under 12 years of age: consult a physician.

Aluminum Glycinate
Aluminum Hydroxide
Cellulose Gum
DMDM hydantoin
Glycerin
Polyacrylic Acid
Polysorbate 80
Propylene Glycol
Ricinus Communis Seed Oil (castor)
Silica
Sodium Polyacrylate
Tartaric Acid
Titanium Dioxide
Urea
Water

Lidocaine 4%

Pain Relieving Lidocaine Patch

✓ Desensitizes aggravated nerves

✓ No-mess, single-use application

✓ Flexible adhesive patch

✓ Fast Acting



CONTINUOUS PAIN RELIEF
12H

30 PATCHES
5.5"x3.94" / 14x10cm

Pain Relieving Lidocaine Patch

Lidocaine 4%

12 HRS

Drug Facts	
Active ingredient	Purpose
Lidocaine 4.0%	Topical Anesthetic
Use	
Temporarily relieves minor pain.	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened 	
When using	
When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Dispose of used patch in manner that always keeps product away from children and pets, Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.	
Stop use	
Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.	
If pregnant or breastfeeding, ask a health professional before use.	
Keep out of reach of children and pets	
Directions	
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.	
Other information	
Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.	
Inactive ingredients	
Aluminum glycinate, aluminum hydroxide, cellulose gum, dmdm hydantoin, glycerin, polyacrylic acid, polysorbate 80, propylene glycol, ricinus communis seed oil (castor), silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water	

2200274V2.0-250630

LIDOCAINE PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85839-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

CELLULOSE GUM (UNII: K679OBS311)
DMDM HYDANTOIN (UNII: BYR0546TOW)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SILICA (UNII: ETJ7Z6XBU4)
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JN12J)
TARTARIC ACID (UNII: W4888I119H)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
RICINUS COMMUNIS (CASTOR) SEED OIL (UNII: D5340Y2I9G)
WATER (UNII: 059QF0KO0R)
UREA (UNII: 8W8T17847W)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85839-008-01	30 in 1 PATCH; Type 0: Not a Combination Product	06/26/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/26/2025	

Labeler - Shenzhen Finona Information Technology Co., Ltd (511271543)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Finona Information Technology Co., Ltd		511271543	manufacture(85839-008)

Revised: 12/2025

Shenzhen Finona Information Technology Co., Ltd