

**L-S 50- lincomycin hydrochloride and spectinomycin sulfate tetrahydrate powder, for solution
Phibro Animal Health**

**L-S 50
WATER SOLUBLE® POWDER
lincomycin-spectinomycin**

L-S 50
WATER SOLUBLE® POWDER
lincomycin-spectinomycin
Antibacterial and Antimycoplasmal

**CAUTION: Federal law restricts this drug to use by or on the order of a
licensed veterinarian.
FOR USE IN CHICKENS ONLY**

This bottle contains:

Lincomycin hydrochloride, equivalent to
lincomycin. 16.7 grams
Spectinomycin sulfate tetrahydrate, equivalent to
spectinomycin. 33.3 grams
Total Antibiotic Activity 50.0 grams

Approved by FDA under NADA # 046-109

NET WT. 2.65 OZ (75.0 grams)

INDICATIONS AND USAGE

For use in chickens up to 7 days of age as an aid in the control of: Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin. Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage

Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration

Amount of L-S 50	Amount of Drinking Water
1 bottle	25 gallons

For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 bottles in each gallon of proportioner solution.

Important

Important: Chickens should consume water at the following approximate rate to insure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)

Age (Weeks)	Daily Water Intake Gallons/1000	Dosage mg Antibiotic/lb
1	5	50-65

PRECAUTION

Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING

Not for human use.

Storage

Store at Controlled Room Temperature 20° to 25° C (68° to 77° F).

Restricted Drug (California)-Use Only as Directed

Questions/Comments? For technical assistance or to obtain a Safety Data Sheet(s), contact Phibro Animal Health Corporation at 888-403-0074 or

www.pahc.com. To report side effects, contact Phibro Animal Health at 1-888-475-7355. For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <https://www.fda.gov/reportanimalae>

Phibro, Phibro logo and L-S 50 Water Soluble are trademarks owned by or licensed to Phibro Animal Health Corporation or its affiliates.

Made in China


Distributed by:

Phibro Animal Health Corporation
Teaneck, NJ 07666

871-8016-02

PRINCIPAL DISPLAY PANEL - 75 g Bottle Label

Z Reference No.	FG Material No.	Description	Colors
NA	10000806	Lincospectin 50 2.650Z Label	BLACK
Specification / DWG	Dimensions	Country	Dieline
NA	185 x 50 mm	US	PMS 285 C
MPD No.	Date	Additional Information	
12754CR3	6/11/25		



185*50

L-S 50 Water Label

L-S 50

lincomycin hydrochloride and spectinomycin sulfate tetrahydrate powder, for solution

Product Information

Product Type	PREScription ANIMAL DRUG	Item Code (Source)	NDC:66104-1108
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LINCOMYCIN HYDROCHLORIDE (UNII: M6T05Z2B68) (LINCOMYCIN - UNII: BOD072YW0F)	LINCOMYCIN	16.7 g in 75 g
SPECTINOMYCIN SULFATE TETRAHYDRATE (UNII: YS91P54918) (SPECTINOMYCIN - UNII: 93AKI1U6QF)	SPECTINOMYCIN	33.3 g in 75 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-1108-1	75 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA046109	06/27/1973	

Labeler - Phibro Animal Health (006989008)

Revised: 1/2026

Phibro Animal Health