PRE-SEPT ACTIVATOR- pre-sept activator solution IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PRE-SEPT SANITIZING PRE-MILKING TEAT DIP A HIGHLY EFFECTIVE GERMICIDAL NON-IODINE FOMBULATION

ACTIVE INGREDIENT

PHOSPHORIC ACID......0.52%

INERT INGREDIENTS

Organic Acid, Glycerin, Surfactants and Food Grade Dye

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

To make a Ready-to-Use solution of Pre-Sept teat dip, add equal volumes of Pre-Sept Activator and Pre-Sept Base into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Do not mix with any other products. Mix only the amount needed for a 24 hour period. Discard any unused teat dip. Unused teat dip may be diluted with water and safely flushed down the drain.

RECOMMENDED PROCEDURES FOR TEAT SANITATION A. PRE-MILKING (PRE-DIPPING)

- 1. REMOVE VISIBLE SOILS FROM THE TEATS.
- 2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
- 3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH **READY-TO-USE PRE-SEPT TEAT DIP**PLUS TEAT DIP.
- 4 WAIT APPROXIMATELY 30 SECONDS.
- 5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES AND UDDER (IF SPRAYING), WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
- 6. ATTACH MILKING UNIT

WARNING

Do not dilute this product.

Do not return teat dip left in the teat dipper to storage container.

Ensure that dipped teats are dry before exposing the animals to weather conditions which may cause damage to the teats.

Store at room temperature. Always store away from direct sunlight.

Protect this product from freezing. However, freezing will not affect Pre-Sept provided that the contents are thawed completely and agitated thoroughly before mixing base and activator together

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYE CONTACT: Rinse cautiously with fresh, tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention. SKIN CONTACT: For RTU products wash any sensitive areas. INGESTION: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep airways open. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical advice/attention.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

PRE-SEPT ACTIVATOR



PRE-SEPT ACTIVATOR

pre-sept activator solution

D		I £	
Prod	uct	ıntorr	mation

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0097

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN) PHOSPHORIC ACID 5.2 g in 1 L

Inactive Ingredients

mactive ingredients			
Ingredient Name	Strength		
CITRIC ACID (UNII: 2968PHW8QP)			
UREA (UNII: 8W8T17847W)			

Product Characteristics

Color	orange	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0097-4	18.9 L in 1 DRUM		
2	NDC:29983-0097-6	56.7 L in 1 DRUM		
3	NDC:29983-0097-8	207.9 L in 1 DRUM		
4	NDC:29983-0097-9	1039.5 L in 1 DRUM		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved drug other		04/15/2022	

Labeler - IBA (019494160)

Revised: 12/2024 **IBA**