CHILDRENS ALLERGY PLUS CONGESTION- diphenhydramine hydrochloride, phenylephrine hydrochloride liquid Hy-Vee

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Phenylephrine HCI 5 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever, the common cold, or other upper respiratory allergies
 - o runny nose
 - sneezing
 - stuffy nose
 - itchy, watery eyes
 - itching of the nose or throat
 - Inasal congestion
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- to sedate a child or to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic brochitis

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dose
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

Dose
do not use
do not use unless directed by a doctor
5 mL every 4 hours
10 mL every 4 hours

Other information

- each 5 mL contains: sodium 8 mg
- store between 20-25°C (68-77°F)
- do not refrigerate. Protect from light.

Inactive ingredients

anhydrous citric acid,carboxymethylcellulose sodium, disodium EDTA, FD&C blue#1, FD&C red #40, flavors, glycerin, purified water, sodium benzoate, sorbital, sucralose, trisodium citrate dihydrate

Questions or comments?

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

Principal Display Panel

*Compare to the Active Ingredients of Children's Benadryl® Allergy Plus Congestion

Ages 6 years and older

Children's Allergy + Congestion

Diphenhydramine HCl 12.5 mg - Antihistamine

Phenylephrine HCI 5 mg - Nasal Decongestant

SUGAR FREE • ALCOHOL FREE

Allergy & Congestion Relief

Relief of:

- Sinus Congestion
- Stuffy Nose
- Runny Nose
- Itchy, Watery Eyes
- Sneezing
- Itchy Throat or Nose

GRAPE FLAVOR

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Benadryl® Allergy Plus Congestion.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY HY-VEE, INC.

5820 WESTOWN PARKWAY

WEST DES MOINES, IA 50266

www.hy-vee.com

Product Label

Drug Facts (continued) Directions do not take more than 6 doses in any 24-hour period measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ mL = milliliter ■ shake well before using Dose Age children under 4 years do not use children 4 to 5 years do not use unless directed by children 6 to 11 years 5 mL every 4 hours adults and children 12 10 mL every 4 hours Other information ■ each 5 mL contains: sodium 8 mg ■ store at 20-25°C (68-77°F) do not refrigerate. Protect from light. Inactive ingredients anhydrous citric acid, carboxymethycalulose sodium, disodium EDTA, FDSC blue #1, FDSC red #40, flavor, glycerin, purified water, sodium benzoate, sorbitol, sucraiose, trisodium citrate dihydrate Questions or comments? Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST This product is not manufactured or distributed by McNeil mer Healthcare, distributor of Children's Benadryle Allergy Plus Congestion

PLD-A376A FC002685



DISTRIBUTED BY HY-VEE, INC.

5820 WESTOWN PARKWAY

WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED OR PURCHASE PRICE REFUNDED

FOR INFORMATION CALL


1-800-289-8343

www.hy-vee.com



*COMPARE TO

the Active Ingredients of Children's Benadry!* Allergy Plus HuVee. Congestion health



*COMPARE TO

SUGAR FREE • ALCOHOL FREE Allergy & Congestion Relief

Relief of:

- Sinus Congestion
- Stuffy Nose
- Runny Nose
- · Itchy, Watery Eyes
- Sneezing
- · Itchy Throat or Nose



Drug Facts

Active ingredients (in each 5 mL) Purposes Diphenhydramine HCl 12.5 mg . Phenylephrine HCl 5 mg.....

- temporarily relieves these symptoms due to hay fever, the
- memporanty releves trese symptoms due to hay irev
 common cold, or other upper respiratory allergies
 munny nose itching of the nose or throat
 stuffy nose nasal congestion
 memporanty relieves sinus congestion and pressure

- Do not use

 to sedate a child or to make a child sleepy

 with any other product containing diphenhydramine, even
 one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- Ask a doctor before use if you have
 heart disease high blood pressure
 thyroid disease diabetes glaucoma
 trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product

 do not exceed recommended
 marked drowsiness may occur
- avoid alcoholic beverages alcohol, sedatives, and tranquilizers may increase
- be careful when driving a motor vehicle or operating machinery

 excitability may occur, especially in children

- Stop use and ask a doctor if
 nervousness, dizziness or sleeplessness occur
 symptoms do not get better within 7 days or are accompanied by fever
- If pregnant or breast-feeding, ask a health professional

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Hy-Vee health Children's Allergy + Congestion

CHILDRENS ALLERGY PLUS CONGESTION

diphenhydramine hydrochloride, phenylephrine hydrochloride liquid

Product Information HUMAN OTC DRUG NDC:42507-049 Product Type Item Code (Source) **Route of Administration** ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL		
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL		

Inactive Ingredients	
Ingredient Name	Strength

ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISO DIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8 M554)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)	
SORBITOL (UNII: 506T60A25R)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:42507-049- 04	1 in 1 BOX	04/30/2015		
	1	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part341	04/30/2015		

Labeler - Hy-Vee (006925671)

Revised: 12/2019 Hy-Vee