# WART REMOVER- wart remover ointment ointment Shanghai JiuJiuRong E-commerce Trading Co., Ltd

-----

85867-001

### **Active Ingredient(s)**

SALICYLIC ACID 1%
CHLORHEXIDINE 1%

### **Purpose**

Wart Remover

#### Use

- \* For the removal of genital warts, plantar warts and flat warts, as well as common warts
- \* Plantar warts are easily identified because they are located only on the soles of the feet,

are painful to the touch, and have intermittent footprints.

\* Location of flat warts: face, back of hands, forearms, etc. Appearance: flat, smooth, flesh-colored or light brown.

Feeling usually painless, but may feel mild discomfort

\* Common warts are easily identified by their rough, "cauliflower-like" surface.

### Warnings

For external use only-Avoid contact with eyes.

#### Do not use

- \*On inflamed or infected skin, or on red areas.
- \*If you have diabetes or poor circulation.
- \*On birthmarks, warts or moles with hair growth.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor

- \*If discomfort persists.
- \*If you have diabetes or poor circulation.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control C enter

(1-800-222- 1222) right away.

\*Keep out of reach of children. If swallowed, seek medical attention immediately.

- \*Avoid inhaling steam. Close the tube tightly.
- \*Avoid direct sunlight and store at room temperature away from heat sources.

### **Directions**

- 1. Wash the affected area.
- 2. Soak the wart in warm water for 5 minutes.
- 3. Dry the affected area thoroughly with the applicator (cotton swab).
- 4. Apply a layer of ointment to each wart. Cover each wart thoroughly. Allow to dry and absorb completely, then bandage as needed.
- 5. Repeat this step once or twice daily (until the wart is gone) for up to 12 weeks.

### Other information

Avoid direct sunlight and store at room temperature away from heat sources.

### **Inactive ingredients**

AQUA, GLYCERIN, MINERAL OIL, GLYCERYL STEARATE, TRIETHANOL-AMINE, CARBOMER

### Package Label - Principal Display Panel



Active Ingredient Purpose
SALICYLIC ACID 1% ... Wart Remover
CHLORHEXIDINE 1% ... Wart Remover

#### Use:

\*For the removal of genital warts, plantar warts and flat warts, as well as common warts.

\*Plantar warts are easily identified because they are located only on the soles of the feet, are painful to the touch, and have intermittent footprints.

\* Location of flat warts: face, back of hands, forearms, etc. Appearance: flat, smooth, flesh-colored or light brown. Feeling: usually painless, but may feel mild discomfort \* Common warts are easily identified by their rough,

"cauliflower-like" surface



### Directions:

- Wash the affected area.
- Soak the wart in warm. water for 5 minutes.
- 3. Dry the affected area thoroughly with the applicator (cotton swab).
- 4. Apply a layer of ointment to each wart. Cover each wart thoroughly. Allow to dry and absorb completely, then bandage as needed. 5. Repeat this step once or twice daily (until the wart is gone) for up to 12 weeks.

Inactive ingredients: AQUA, GLYCERIN, MINERAL OIL, GLYCERYL STEARATE, TRIETHANOLAMINE, CARBOMER

SHELF LIFE: 3 Years



SALICYLIC ACID 1% ... Wart Remover

Use: \*For the removal of genital warts, plantar warts and flat warts, as well as common

**TAVNEOS** 



MANUFACTURER: Shanghai JiuJiuRong E-commerce Trading Co., Ltd.

#### **ADDRESS:**

1F, No.81 Wen Shi Street, Huinan Town, Pudong New Area, Shanghai, China 200120

SHELF LIFE: 3 Years

( MADE IN CHINA )









### Natural Herbal Ingredients

Common **Warts Treatment** 







Effective

Removal



& Reliable





located only on the soles of

the feet, are painful to the touch, and have intermittent footprints. \* Location of flat warts: face, back of hands, forearms, etc. Appearance: flat, smooth, flesh-colored or light brown. Feeling: usually painless, but may feel mild discomfort \* Common warts are easily identified by their rough, "cauliflower-like" surface.

Warnings: For external use only-Avoid contact with eyes. Do not use

\*On inflamed or infected skin, or on red areas. \*If you have diabetes or

poor circulation. \*On birthmarks, warts or moles with hair growth. When using this product \*When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. \*Keep out of reach of children. If swallowed, seek medical attention

immediately. \*Avoid inhaling steam. Close the tube tightly.
\*Avoid direct sunlight and store at room temperature away from heat sources. Stop use and ask a doctor \*If discomfort persists. \*If you have diabetes or poor circulation. Keep out of reach of

children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right

#### Directions:

 Wash the affected area.
 Soak the wart in warm water for 5 minutes. water for 5 minutes.

3. Dry the affected area thoroughly with the applicator (cotton swab).

4. Apply a layer of ointment to each wart. Cover each wart thoroughly. Allow to dry and absorb completely, the bandance of sea then bandage as needed.

5. Repeat this step once or twice daily (until the wart is gone) for up to 12 weeks.

Inactive ingredients: AQUA, GLYCERIN, MINERAL OIL, GLYCERYL STEARATE, TRIETHANOL-AMINE, CARBOMER



## Natural Herbal Ingredients

Common **Warts Treatment** 











Safe, Painless Effective & Reliable Removal





### **WART REMOVER**

wart remover ointment ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85867-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
CHLORHEXIDINE (UNII: R4KO0DY52L) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE	1 g in 100 g	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
AQUA (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
MINERAL OIL (UNII: T5L8T28FGP)		
GLYCERYL STEARATE (UNII: 2300U9XXE4)		
TRIETHANOLAMINE (UNII: 903K93S3TK)		
CARBOMER (UNII: 0A5MM307FC)		

l	Packaging				
	#	# Item Code Package Description		Marketing Start Date	Marketing End Date
	1	NDC:85867-001- 01	20 g in 1 BOX; Type 0: Not a Combination Product	06/28/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	06/28/2025	

## **Labeler -** Shanghai JiuJiuRong E-commerce Trading Co., Ltd (512060767)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Shanghai JiuJiuRong E-commerce Trading Co., Ltd		512060767	manufacture(85867-001)	

Revised: 6/2025 Shanghai JiuJiuRong E-commerce Trading Co., Ltd