

# **BED SORE AND WOUND HEALING CREAM- allantoin cream**

## **TAGRID LLC**

-----

### **Active ingredient:**

1. Allantoin 0.5%

### **1. Skin Protectant**

Uses:

1. Temporarily protects minor cuts, scrapes, and burns
2. Helps relieve skin irritation associated with bed sores, pressure ulcers, or cracked skin
3. Aids in the healing of wounds by forming a protective moisture barrier

For external use only

### **Do not use:**

- On deep or puncture wounds
- On animal bites
- On serious burns

Ask a doctor before use if you have:

A serious wound or condition that requires medical attention

When using this product

Avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days
- You are allergic to any of the ingredients in this product

If pregnant or breast-feeding

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions:**

- Clean the affected area
- Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician
- May be covered with a sterile bandage or left uncovered

### **Other information:**

- Store at 15°–30°C (59°–86°F)
- Avoid freezing and direct sunlight
- Tamper-evident: Do not use if seal under cap is broken or missing

### **Inactive ingredients:**

- Colloidal Silver
- Water
- Tocopherol
- Madecassoside
- Centella Asiatica Whole
- Sodium Hyaluronate
- Honey
- Polysorbate 60
- Cetearyl Alcohol
- Mineral Oil
- White Petrolatum
- Glycerin
- Lavandula Angustifolia (Lavender) Oil

Questions or comments?

Contact us at [support@tagridstore.com](mailto:support@tagridstore.com)

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

125\*40\*27mm

TAGRID®

**Drug Facts**

Active Ingredient	Purpose
Allantoin 0.5%	Skin Protectant

**Uses** ■ Temporarily protects minor cuts, scrapes, and burns ■ Helps relieve skin irritation due to bed sores, pressure ulcers, or cracked skin ■ Aids in wound healing by forming a moisture barrier

**Warnings**  
For external use only.  
**Do not use:** ■ deep or puncture wounds ■ animal bites ■ serious burns

**Ask a doctor before use if you have** ■ A serious wound or condition that requires medical attention

**When using this product** ■ Avoid contact with eyes. If contact occurs, rinse thoroughly with water

**Stop use and ask a doctor if** ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days ■ You are allergic to any of the ingredients in this product

**If pregnant or breastfeeding** ■ Ask a health professional before use.

**Keep out of reach of children** ■ If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Clean the affected area  
■ Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician  
■ May be covered with a sterile bandage or left uncovered

**Other information**  
■ Store at 15° - 30°C (59° - 86°F)  
■ Avoid freezing and direct sunlight  
■ Tamper evident: Do not use if seal under cap is broken or missing

**Inactive Ingredients**  
Water, Glycerin, Honey, Sodium Hyaluronate, Centella Asiatica Whole, Madecassoside, Tocopherol, Colloidal Silver, Lavandula Angustifolia (Lavender) Oil, Catearyl Alcohol, Polysorbate 60, Mineral Oil, White Petrolatum, Allantoin

MAXIMUM STRENGTH

TAGRID®

BED SORE & WOUND HEALING CREAM

HERBAL EXTRACTS

HYPOALLERGENIC

NOT TESTED ON ANIMALS

NO TOXIC CHEMICALS

LABORATORY TESTED

**Questions or comments?**  
Contact us at:  
support@tagridstore.com

Distributed by TAGRID LLC  
San Francisco, CA, USA 94131  
Website: tagridstore.com

MADE IN PRC

FAST-ACTING RELIEF FOR  
BED SORES / PRESSURE ULCERS  
FOOT BLISTERS / OPEN WOUNDS  
DIABETIC SKIN

7

ADVANCED FORMULA FOR ALL SKIN TYPES  
NOTICEABLE RELIEF  
TENDER LOVING CARE

7 DAYS

NET WT. 30 G (1.06 OZ)



## BED SORE AND WOUND HEALING CREAM

allantoin cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85384-0011
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALLANTOIN</b> (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>COLLOIDAL SILVER</b> (UNII: 3M4G523W1G)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MADECASSOSIDE</b> (UNII: CQ2F5O6YIY)	
<b>CENTELLA ASIATICA WHOLE</b> (UNII: 7M867G6T1U)	
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL</b> (UNII: ZBP1YXW0H8)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85384-0011-1	30 g in 1 TUBE; Type 0: Not a Combination Product	06/02/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	06/02/2025	

**Labeler** - TAGRID LLC (118778969)

**Registrant** - TAGRID LLC (118778969)