

# **VICKS VAPOCOOL SEVERE PLUS INTENSE PAIN RELIEF- benzocaine and menthol lozenge**

**The Procter & Gamble Manufacturing Company**

-----  
**VICKS® VapoCOOL™ SEVERE + Intense Pain Relief Drops**

## ***Drug Facts***

### **Active ingredients (per drop)**

Benzocaine 15 mg

Menthol 20 mg

### **Purpose**

Oral anesthetic

Oral anesthetic

### **Uses**

temporarily relieves occasional minor irritation and pain due to

- sore throat
- sore mouth

### **Warnings**

#### **Methemoglobinemia Warning-**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

#### **Allergy alert:**

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

#### **Sore Throat Warning -**

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

**Do not use**

- for teething
- in children under 2

**When using this product**

do not exceed recommended dosage

**Ask a doctor before use if you have**

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

**Stop use and ask a doctor if**

- sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.
- children under 12 years: do not use.

**Other information**

- Store at no greater than 25°C (77°F)
- contains soy

**Inactive ingredients**

acacia, ascorbyl palmitate, beta-carotene, corn syrup, FD&C Blue No. 1, flavor, maltodextrin, propylene glycol, sucrose, sunflower oil, vitamin E DL-alpha, water

**Questions?**

**1-800-707-1709**

**DIST. BY PROCTER & GAMBLE,  
CINCINNATI OH 45202**

**PRINCIPAL DISPLAY PANEL - 30 MEDICATED DROPS**

**VICKS®**

**VapoCOOL**

**SEVERE**

MENTHOL & BENZOCAINE - ORAL ANESTHETICS

+INTENSE PAIN RELIEF

SOOTHES & NUMBS

SORE THROATS

ICY MINT

30 MEDICATED DROPS



**+INTENSE PAIN RELIEF**



**VapoCOOL™**  
**SEVERE**

MENTHOL & BENZOCAINE • ORAL ANESTHETICS



**+INTENSE PAIN RELIEF**

# SOOTHES & NUMBS SORE THROATS



## 30 MEDICATED DROPS



**RESEALABLE BAG**

Also Available from Vicks


## TRUSTED VICKS VAPORS IN A POWERFUL DROP

In 1931, Vicks created its first medicated drop in the United States. For over 85 years, Vicks has been a trusted choice for drops with soothing Vicks Vapors.

<b>Drug Facts</b>	
<b>Active ingredients (per drop)</b>	<b>Purpose</b>
Benzocaine 15 mg	Oral anesthetic
Menthol 20 mg	Oral anesthetic
<b>Uses</b> temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth	
<b>Warnings</b>	
<b>Methemoglobinemia Warning</b> - Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:	
• pale, gray or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy	
<b>Allergy alert:</b> do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.	
<b>Sore Throat Warning</b> - Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.	
<b>Do not use</b> • for teething • in children under 2	
<b>When using this product</b> do not exceed recommended dosage	
<b>Ask a doctor before use if you have</b> • a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days	
• a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting	
<b>Stop use and ask a doctor if</b> • sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens.	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• adults and children 12 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor. • children under 12 years: do not use.	
<b>Other information</b> • Store at no greater than 25°C (77°F) • contains soy	
<b>Inactive ingredients</b> acacia, ascorbyl palmitate, beta-carotene, corn syrup, FD&C Blue No. 1, flavor, maltodextrin, propylene glycol, sucrose, sunflower oil, vitamin E DL-alpha, water	

DIST. BY: PROCTER & GAMBLE,  
CINCINNATI, OH 45202





## VICKS VAPOCOOL SEVERE PLUS INTENSE PAIN RELIEF

benzocaine and menthol lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84126-366
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	20 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>BETA CAROTENE</b> (UNII: 01YAE03M7J)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ACACIA</b> (UNII: 5C5403N26O)	

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	23mm
<b>Flavor</b>	MINT	<b>Imprint Code</b>	Vicks;Vapors
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-366-30	30 in 1 BAG	07/15/2025	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	07/15/2025	

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

Revised: 6/2025

The Procter &amp; Gamble Manufacturing Company