UNIVERSAL ISOPROPYL RUBBING ALCOHOL 70% - ISOPROPYL ALCOHOL LIQUID- universal isopropyl rubbing alcohol 70% - isopropyl alcohol liquid liquid TSM BRANDS LLC

UNIVERSAL ISOPROPYL RUBBING ALCOHOL %70

Active Ingredients

Isopropyl Alcohol

Ask a doctor before use if you have

Deep punctured wounds, animal bites or serious burns

Stop using this product if

conditions persists or gets worse

Keep this and all drugs out of reach of the children

In case of accidental ingestion, seek professional assistance or contact a Poison control control center (1-800-222-1222) immediately

Purpose

First aid antiseptic

Stop using this product if

condition persist or gets worse

When using this product

Do not get into eyes

Do not apply over large areas of the body

Do not use longer than one week unless directed by a doctor

Warnngs

For external use only, flammable, keep away from fire or flammable, heat, spark, electrical

Directions

clean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage If bandaged, let dry firs

Inactive Ingredient

purified water

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

Label

Uses first aid to help prevent the risk of infection in minor cuts, scrap Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical Ask a doctor before use if you have deep punctured wounds, animal bites or serious burns When using this product do not get into eyes do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	antisept
Isopropyl alcohol (70% conc.)	
Warnings For external use only, flammable, keep away from fire or flame, heat, spark, electrical Ask a doctor before use if you have deep punctured wounds, animal bites or serious burns When using this product do not get into eyes do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
For external use only; flammable, keep away from fire or flame, heat, spark, electrical Ask a doctor before use if you have deep punctured wounds, animal bites or serious burns When using this product do not get into eyes do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
deep punctured wounds, animal bites or serious burns When using this product do not get into eyes do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
do not get into eyes do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions clean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
 do not apply over large areas of the body do not use longer than one week unless directed by a doctor Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions clean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage 	
Stop using this product if condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions clean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
condition persists or gets worse Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately. Directions dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
In case of accidental Ingestion, seek professional assistance or contact a Poison control center (1–800–222–1222) immediately. Directions dean effected area apply small amount of this product on the area 1–3 times daily May be covered with a sterile bandage	
 dean effected area apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage 	
apply small amount of this product on the area 1-3 times daily May be covered with a sterile bandage	
If bandaged, let dry first	
Other information	
store at room temperature does not contain, nor is intended as a substitute for grain or	thyl alcoh
will produce serious gastric disturbances if taken internally. Inactive Ingredient purified water	
TAMPER EVIDENT: DO NOT USE IF THE UNDER (AP
PRINTED SAFETY FOIL IS BROKEN OR MISSIN	5.
86083	
6 76979 86083	1
Made in Turkey	·
Mfd for and Distributed By: Universal Distribution Center	
330 Applegarth Road,	LLC
Monroe Township, NJ 0883	



UNIVERSAL ISOPROPYL RUBBING ALCOHOL 70% - ISOPROPYL ALCOHOL LIQUID

Product Info	rmation						
Product Type		HUMAN OTC DRUG	ltem Co	tem Code (Source) NDC:76567-4301			
Route of Admin	istration	TOPICAL					
Active Ingred	ient/Active	Moiety					
Ingredient Name				Basis of Strength		Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)						331 mL in 473 mL	
Inactive Ingre	edients						
Ingredient Name				Strength			
WATER (UNII: 059QF0K00R)				142 mL in 473 mL			
Packaging							
				Маі	keting Star	⊦ M	arketing End
	Pa	ackage Description		Mai	keting Star Date	t M	arketing End Date
# Item Code NDC:76567-		TTLE, PLASTIC; Type 0: Not	a		-	t M	
# Item Code NDC:76567-	473 mL in 1 BO ⁻	TTLE, PLASTIC; Type 0: Not	a		Date	t M	
 # Item Code NDC:76567- 4301-6 	473 mL in 1 BO Combination Pro	TTLE, PLASTIC; Type 0: Not	: a		Date	t M	
1 NDC:76567-	473 mL in 1 BO Combination Pro	ITLE, PLASTIC; Type 0: Not		06/17	Date		

Labeler - TSM BRANDS LLC (079777521)

Establishment							
Name	Address	ID/FEI	Business Operations				
TSM BRANDS KIMYA SANAYI VE DIS TICARET ANONIM SIRKETI		533120570	manufacture(76567-4301)				

Revised: 6/2025

TSM BRANDS LLC