

**ALLERGY RELIEF PLUS CONGESTION- diphenhydramine hcl, phenylephrine hcl tablet, film coated**  
**Walgreen Company**

-----  
**Walgreens 44-485-Allergy Relief Plus Congestion**

***Active ingredients (in each tablet)***

Diphenhydramine HCl 25 mg  
Phenylephrine HCl 10 mg

***Purpose***

Antihistamine  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - nasal congestion
  - itching of the nose or throat
  - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
  - nasal congestion
  - runny nose
  - sneezing
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- diabetes
- thyroid disease
- heart disease
- glaucoma

- high blood pressure
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 1 tablet every 4 hours
  - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

***Other information***

- **each tablet contains:** calcium 25 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**

**1-800-426-9391**

**Principal display panel**

NDC 0363-4851-08

**Walgreens**

• **WALGREENS** •  
PHARMACIST RECOMMENDED<sup>†</sup>

Compare to the active ingredients in  
Benadryl<sup>®</sup> Allergy Plus Congestion<sup>††</sup>

**Allergy Relief**

**PLUS CONGESTION**

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE  
PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

Congestion Relief

• Relief of sinus congestion & pressure, runny nose,  
sneezing, itchy throat & itchy, watery eyes

**24**

COATED

MINI

TABS

**ACTUAL SIZE**

**TAMPER EVIDENT: DO  
NOT USE IF PACKAGE  
IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF  
TAMPERING**

<sup>†</sup>Our pharmacists recommend the Walgreens brand. We  
invite you to compare to national brands.

<sup>††</sup>This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the registered  
trademark Benadryl<sup>®</sup> Allergy Plus Congestion.

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**  
**walgreens.com**

©2021 Walgreen Co.

50844 REV1220A48508

Do not print area  
Lot and  
Exp Date Only



B-2201-485-08-HR  
REV1220A48508

W30RG0821-F2  
REV1122

Walgreens



# Allergy Relief

Walgreens

Compare to the active ingredients in  
Benadryl® Allergy Plus Congestion\*



# Allergy Relief

PLUS CONGESTION

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE  
PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

## Congestion Relief

- Relief of sinus congestion & pressure, runny nose, sneezing, itchy throat & itchy, watery eyes

24

## Drug Facts (continued)

When using this product  
do not exceed recommended dosage  
excitability may occur, especially in children  
marked drowsiness may occur  
alcohol, sedatives, and tranquilizers may increase  
drowsiness  
use caution when driving a motor vehicle or operating machinery  
stop use and ask a doctor if  
symptoms do not improve within 7 days or are  
accompanied by fever  
nausea, dizziness, or sleeplessness occur  
if pregnant or breast-feeding, ask a health professional  
before use.  
Keep out of reach of children. In case of overdose, get  
medical help or contact a Poison Control Center right  
away.

**Directions** ■ do not take more than directed  
adults and children 12 years and over  
take 1 tablet every 4 hours  
do not take more than 6 tablets in 24 hours  
children under 12 years: do not use  
**Other information**  
each tablet contains: calcium 25 mg  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE  
IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between  
15°-30°C (59°-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients** croscarmellose sodium,  
aluminum lake, hypromellose, magnesium stearate,  
dibasic calcium phosphate dihydrate, FD&C blue #1  
acid, titanium dioxide, triacetin  
**Drug Facts (continued)**  
microcystalline cellulose, polydextrose,  
polyethylene glycol, silicon dioxide, stearic  
acid, titanium dioxide, triacetin

(Questions or comments?)  
1-800-426-9391

## Drug Facts

**Active ingredients**  
(in each tablet)  
Diphenhydramine HCl 25 mg ..... Antihistamine  
Phenylephrine HCl 10 mg ..... Nasal decongestant

**Uses**  
temporarily relieves these symptoms due to hay fever  
or other upper respiratory allergies:  
runny nose ■ sneezing ■ nasal congestion  
itching of the nose or throat ■ itchy, watery eyes  
temporarily relieves these symptoms due to the  
common cold: ■ nasal congestion  
runny nose ■ sneezing  
temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use  
if you are now taking a prescription monoamine  
oxidase inhibitor (MAOI) (certain drugs for depression,  
psychiatric or emotional conditions, or Parkinson's  
disease), or for 2 weeks after stopping the MAOI drug.  
If you do not know if your prescription drug contains an  
MAOI, ask a doctor or pharmacist before taking this  
product.  
with any other product containing diphenhydramine,  
even one used on skin  
Ask a doctor before use if you have  
difficulty in urination due to enlargement of the  
prostate gland ■ diabetes ■ thyroid disease  
heart disease ■ glaucoma ■ high blood pressure  
a breathing problem such as emphysema or chronic  
bronchitis  
sedatives or tranquilizers.

**Ask a doctor or pharmacist before use if you are taking**  
sedatives or tranquilizers.

Our pharmacists recommend the Walgreens brand. We  
invite you to compare to national brands.  
This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the registered  
trademark Benadryl® Allergy Plus Congestion.




how2recycle.info  
TAMPER EVIDENT: DO  
NOT USE IF PACKAGE  
IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF  
TAMPERING

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2021 Walgreen Co.

50844 REV1220A48508

NDC 0363-4851-08



## Walgreens 44-485

### ALLERGY RELIEF PLUS CONGESTION

diphenhydramine hcl, phenylephrine hcl tablet, film coated

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4851
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

#### Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4851-08	2 in 1 CARTON	11/01/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M012	11/01/2021	

**Labeler -** Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4851) , pack(0363-4851)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-4851)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-4851)

Revised: 2/2025

Walgreen Company