EXOSCRT DERMA SIGNAL SRLV VIAL 1. LYOPHILIZED- leucine, isoleucine powder Exocobio Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ACTIVE INGREDIENT

Leucine 0.05% Isoleucine 0.05%

INACTIVE INGREDIENTS

Rosa Damascena Callus Extracellular Vesicles, Methionine, Trehalose, Mannitol, Glutamine, Potassium Chloride, Ascorbic Acid, Retinol, Magnesium Sulfate, Glutathione, Nicotinamide Adenine Dinucleotide, Disodium Flavine, Adenine Dinucleotide, Thiamine Diphosphate, Coenzyme A, sh-Oligopeptide-2, Acetyl Hexapeptide-8, Nonapeptide-1, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, sh-Oligopeptide-1, sh-Polypeptide-1, sh-Polypeptide-3, sh-Polypeptide-76, Copper Tripeptide-1, Palmitoyl Pentapeptide-4, Alanine, Arginine, Aspartic Acid, Glutamic Acid, Glycine, Histidine, Lysine HCL, Ornithine HCL, Phenylalanine, Proline, Serine, Threonine, Tryptophan, Tyrosine, Valine

PURPOSE

Anti wrinkle

WARNINGS

For external use only, not to be swallowed.

In case of accidental ingestion, seek professional assistance.

Avoid contact with eyes.

If contact occurs, rinse eyes thoroughly with water.

Stop using and consult a doctor if rash or irritation develops and lasts. Keep out of reach of children. Take proper precautions when opening.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Uses

■ Helps improve wrinkle care, skin rejuvenation.

Directions

■ Mix Vial 1(Lyophilized Powder) and Vial 2(Diluent) thoroughly. Apply a proper amount of mixture around the facial area. * One time use ONLY.


Other Information

Store at 2°C~8°C

Questions

www.exocobio.com / sales@exocobio.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



EXOSCRT DERMA SIGNAL SRLV VIAL 1. LYOPHILIZED

leucine, isoleucine powder

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72951-140 | |
| Route of Administration | TOPICAL | | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| LEUCINE (UNII: GMW67QNF9C) (LEUCINE - UNII:GMW67QNF9C) | LEUCINE | 0.01 mg in 20 mg | |
| ISOLEUCINE (UNII: 04Y7590D77) (ISOLEUCINE - UNII:04Y7590D77) | ISOLEUCINE | 0.01 mg in 20 mg | |

| Inactive Ingredients | | | |
|-------------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| METHIONINE (UNII: AE28F7PNPL) | | | |

| Packaging | | | | |
|-----------|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:72951-140- 02 | 5 in 1 CARTON | 10/01/2021 | |
| 1 | NDC:72951-140- 01 | 20 mg in 1 VIAL; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|---|---------------------------------|---|--|
| Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| | 10/01/2021 | | |
| | Application Number or Monograph | Application Number or Monograph Marketing Start Citation Date | |

Labeler - Exocobio Inc. (694828578)

Registrant - Exocobio Inc. (694828578)

| Establishment | | | | | |
|---------------|---------|-----------|------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| Exocobio Inc. | | 694828578 | manufacture(72951-140) | | |

Revised: 12/2024 Exocobio Inc.