ALLERGY RELIEF- diphenhydramine hcl tablet, film coated L.N.K. International, Inc.

Convenience Valet 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and	1 to 2
over	tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-877-507-6516 (8:00 AM - 4:30 PM CST)

Principal display panel

24/7 life BY **7-ELEVEN**™

Allergy Relief Diphenhydramine HCI, 25 mg
Antihistamine

Relieves:

Runny Nose, Sneezing, Itchy, Watery Eyes, Itchy Nose or Throat compare to **Benadryl® Allergy ULTRATAB® Tablets** active ingredient*

24 COATED TABLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets. 50844 REV0721A32908

Satisfaction Guaranteed 1-800-255-0711

Distributed by: 7-Eleven, Inc.

Irving, TX 75063 www.7-ELEVEN.com

(8:00 AM - 4:30 PM CST) UNESTIONS OF COMMENTS? 1-877-507-6516

stearic acid, talc, titanium dioxide polyethylene glycol, polyvinyl alcohol, silicon dioxide, magnesium stearate, microcrystalline cellulose, aluminum lake, dibasic calcium phosphate dihydrate, INACTIVE INGVEDIENTS com starch, D&C red #27

- see end flap for expiration date and lot number protect from moisture
 - 12°-30°C (59°-86°F)
- store at 25°C (77°F); excursions permitted between m esch tablet contains: calcium 30 mg Other information

350	esu fon ob	children under 6 years
	1 tablet	children 6 to under 12 years
	27024.2472.0572.03	years and over

squits and children 12 1 to 2 tablets ■ do not take more than 6 times in 24 hours Directions — do not take more than directed make every 4 to 6 hours, or as directed by a doctor

medical help or contact a Poison Control Center right Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional Drug Facts (continued)

excitability may occur, especially in children

- nee cartion when driving a motor vehicle or operating grows/note
 - sicohol, sedatives, and tranquitzers may increase
 - avoid alcoholic beverages
 - marked drowsiness may occur When using this product

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- qitticulty in urination due to enlargement of the ■ djancoma pronchitis a breathing problem such as emphysema or chronic
 - Ask a doctor before use if you have

even one used on skin

- with any other product containing diphenhydramine, Do not use to make a child sleepy Warnings
 - common cold: In runny nose ■ temporarily relieves these symptoms due to the Buizaaus ■ ■ (ching of the nose or throat
- ifchy, watery eyes asou Vuuni
- or other upper respiratory allergies: ■ temporarily relieves these symptoms due to hay rever

Antihistamine

Diphenhydramine HCI 25 mg

(in each tablet) Active ingredient

Purpose

Drug Facts

65148C-SE-12-22 B-1205-329-08



Allergy Relief

COMPLETE PRODUCT INFORMATION KEEP OUTER PACKAGE FOR

Diphenhydramine HCl, 25 mg **Antihistamine**



Diphenhydramine HCl, 25 mg



Allergy Relief

Diphenhydramine HCl, 25 mg

Relieves:

Runny Nose, Sneezing, Itchy, Watery Eyes, Itchy Nose or Throat

> compare to Benadryl® Allergy ULTRATAB® Tablets active ingredient

COATED TABLETS



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT Torn, broken or shows any signs of tampering

No Print / No Varnish Lot no. & Exp. date

Convenience Valet 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet, film coated

Product Information

Product Type HUMAN OTC DRUG NDC:50844-229 Item Code (Source)

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength **DIPHENHYDRAMINE HYDROCHLORIDE** (UNII: TC2D6JAD40) **DIPHENHYDRAMINE** 25 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

HYDROCHLORIDE

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)

DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

SILICON DIOXIDE (UNII: ETI7Z6XBU4) STEARIC ACID (UNII: 4ELV7Z65AP)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844- 229-08	2 in 1 CARTON	02/18/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information						
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date						
OTC Monograph Drug	M012	02/18/2022				

Labeler - L.N.K. International, Inc. (038154464)

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		038154464	pack(50844-229)		

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-229) , pack(50844-229)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-229)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(50844-229)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-229)

Revised: 5/2023 L.N.K. International, Inc.