BPO 8% - benzoyl peroxide gel Acella Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BPO 8% Gel

Active Ingredients

Benzoyl Peroxide 8%

Purpose

Acne Medication

Use

Treats acnes and helps prevent new acne blemishes from forming.

Warnings

For external use only

Do not use

• if you have very sensitive skin or if you are sensitive to benzoyl peroxide.

When using this product

- avoid unnecessary sun exposure and use sunscreen
- keep away from eyes, lips and mouth
- avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Stop use and ask a doctor if

• irritation becomes severe.

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually

increase to two or three times daily if needed or as directed by a doctor

- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor.

Other Information

Store at controlled room temperature 15° - 30°C (59° - 86°F).

Inactive Ingredients

aloe barbadensis leaf juice, benzyl alcohol, ceteareth-20, cetyl alcohol, dimethyl isosorbide, purified water, simethicone and stearyl alcohol.

Questions?

1-800-541-4802

Manufactured For:

Acella Pharmaceuticals, LLC Alpharetta, GA 30005

Rev. 0718-01

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC 42192-163-15 BPO 8% Gel (8% benzoyl peroxide acne medication) For Topical Use Net Wt. 42.5 g (1.5 oz) Acella Pharmaceuticals, LLC

forming. Warnings For external use only Do not use • if you have very sensitive skin or if you are sensitive to benzoyl peroxide. When using this product • avoid unnecessary sun exposure and use sunscreen • keep away from eyes, lips and mouth • avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Stop use and ask a doctor if • irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15 - 30°C (59' - 86°F).		Drug Facts Active Ingredients Purpose Benzoyl Peroxide 8%Acne Medication
For external use only Do not use • if you have very sensitive skin or if you are sensitive to benzoyl peroxide. When using this product • avoid unnecessary sun exposure and use sunscreen • keep away from eyes, lips and mouth • avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Stop use and ask a doctor if • irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15 ' - 30'C (59' - 86'F). Inactive Ingredients aloe barbadensis leat juice. benzyl <td></td> <td>$\ensuremath{\textit{Use}}$ treats acne and helps prevent new acne blemishes from forming.</td>		$\ensuremath{\textit{Use}}$ treats acne and helps prevent new acne blemishes from forming.
 When using this product avoid unnecessary sun exposure and use sunscreen keep away from eyes, lips and mouth • avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration. skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Stop use and ask a doctor if • irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15' - 30'C (59' - 86'F). Inactive Ingredients aloe barbadensis leat juice, benzyl 		Warnings For external use only
 avoid unnecessary sun exposure and use sunscreen keep away from eyes, lips and mouth • avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Stop use and ask a doctor if • irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product • cover the entire affected area with a thin fayer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15' - 30'C (59' - 86'F). Inactive Ingredients aloe barbadensis leat juice, benzyl 	5	Do not use • if you have very sensitive skin or if you are sensitive to benzoyl peroxide.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15' - 30'C (59' - 86'F). 		 avoid unnecessary sun exposure and use sunscreen keep away from eyes, lips and mouth • avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate such irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration. skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and consult a doctor. Other Information Store at controlled room temperature 15' - 30'C (59' - 86'F). Inactive Ingredients aloe barbadensis leaf juice, benzyl	7	Keep out of reach of children. If swallowed, get medical help
Inactive Ingredients aloe barbadensis leaf juice, benzy		product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, discontinue use of product and
Inactive Ingredients aloe barbadensis leat juice, benzyl alcohol, ceteareth-20, cetyl alcohol, dimethyl isosorbide, purified water, simethicone and stearyl alcohol.	2	Other Information Store at controlled room temperature 15 - 30°C (59' - 86°F).
		Inactive Ingredients aloe barbadensis leat juice, benzyl alcohol, ceteareth-20, cetyl alcohol, dimethyl isosorbide, purified water, simethicone and stearyl alcohol.
Questions? 1-800-541-4802		Questions? 1-800-541-4802

NDC 42192-163-15

BPO 8% Gel (8% benzoyl peroxide acne medication)

FOR TOPICAL USE

Net Wt 42.5 g (1.5 oz)





BPO 8%			
benzoyl peroxide gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42192-163
Route of Administration	TOPICAL		

Active Ingredie	nt/Active Moiety		
	Ingredient Name	Basis of Stre	ngth Strength
BENZO YL PEROX UNII:W9 WZN9 A0 GM	DE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE -	BENZO YL PERO XIDE	8 mg in 100 mg
Inactive Ingred	ents		
	Ingredient Name		Strength
ALOE VERA LEAF	JNII: ZY8 1Z8 3H0 X)		
BENZYL ALCOHO	(UNII: LKG8494WBH)		
POLYOXYL 20 CE	OSTEARYL ETHER (UNII: YRC528SWUY)		
CETYL ALCOHOL	UNII: 936JST6JCN)		
DIMETHYL ISOSO	BIDE (UNII: SA6A6V432S)		
WATER (UNII: 0590	³ 0 KO0 R)		
DIMETHICO NE (UN	l: 92RU3N3Y1O)		
STEARYL ALCOH	L (UNII: 2KR89I4H1Y)		
Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:42192-163-1	42500 mg in 1 TUBE; Type 0: Not a Combination Product	0 1/15/20 19	
Marketing I	formation		
Marketing II Marketing Categ		Marketing Start Date	Marketing End Date

Labeler - Acella Pharmaceuticals LLC (825380939)

Revised: 2/2019

Acella Pharmaceuticals LLC