

**GOOD SENSE PAIN RELIEF ROLL ON- lidocaine hcl liquid**  
**Geiss, Destin & Dunn, Inc**

-----  
**GoodSense Pain Relief Roll-on**

Lidocaine HCl 4%

Topical anesthetic

For the temporary relief of pain

**For external use only.**

**Flammable.** Keep away from excessive heat or open flame.

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

**When using this product** avoid contact with eyes. Rinse with water if contact occurs. Do not apply to wounds or damaged skin. Do not bandage tightly.

**Stop use and ask a doctor** if the condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days, and redness or irritation develops.

**Adults and children 12 years and older:** clean affected area before applying products, apply to affected area not more than 3 to 4 times daily.

**Children under 12 years old:** ask a doctor.

**Keep out of reach of children.** If the product is swallowed, get medical help or contact a Poison Control Center right away.

Ask a health professional before use.

Acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., aloe barbadensis leaf extract, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glycerin stearate, methylparaben, steareth-21, water.

<b>Drug Facts</b>	
<b>Active ingredient</b> Lidocaine HCl 4%	<b>Purpose</b> Topical anesthetic
<b>Use</b> For the temporary relief of pain.	
<b>Warnings</b> For external use only.	
<b>Flammable.</b> Keep away from excessive heat or open flame.	
<b>Do not use</b> in large quantities, particularly over raw surfaces or blistered areas.	
<b>When using this product</b>	
• avoid contact with eyes. In case of contact with eyes, flush thoroughly with water	
• do not apply to wounds or damaged skin	
• do not bandage tightly	
<b>Stop use and ask a doctor if</b>	
• condition worsens	
• symptoms last more than 7 days or clear up and occur again within a few days	
• redness or irritation develops	
If pregnant or breast-feeding, ask a health professional before use.	
<b>Keep out of the reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• <b>adults and children 12 years and older:</b> • clean affected area before applying product • apply to affected area not more than 3 to 4 times daily	
• <b>children under 12 years old:</b> ask a doctor	
<b>Other information</b> Store at 15°C - 30°C (59°F - 86°F)	
<b>Inactive ingredients</b> acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., aloe barbadensis leaf extract, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, steareth-21, water	
<b>Questions or comments?</b> please call 1-844-987-2727	

\*This product is not manufactured or distributed by Chatterm, Inc.®, owner of the registered trademark Aspercreme®  
Made in the U.S. with domestic and imported components.



Distributed by:  
Perrigo Direct, Inc.  
Peachtree City, GA 30269  
www.PerrigoDirect.com  
1-844-987-2727

GoodSense® is a registered trademark of L. Perrigo Company.

<p><b>GOODSENSE®</b></p> <p><b>Maximum Strength<sup>†</sup></b></p> <p><b>Pain Relief Roll-On with Lidocaine HCl</b></p> <p>Lidocaine HCl 4% / Topical Anesthetic</p> <ul style="list-style-type: none"> <li>• Maximum Strength Available without a Prescription</li> <li>• Penetrates for Fast, Targeted Relief</li> <li>• Numbs Away Pain</li> <li>• No Greasy Residue</li> <li>• No Mess Applicator</li> </ul> <p>NET WT 2.5 OZ (71 g)</p>	<p><b>GOODSENSE®</b> NDC 50804-187-02</p> <p><b>Maximum Strength<sup>†</sup></b></p> <p><b>Pain Relief Roll-On with Lidocaine HCl</b></p> <p>Lidocaine HCl 4% / Topical Anesthetic</p> <ul style="list-style-type: none"> <li>• Maximum Strength Available without a Prescription</li> <li>• Penetrates for Fast, Targeted Relief</li> <li>• Numbs Away Pain</li> <li>• No Greasy Residue</li> <li>• No Mess Applicator</li> </ul> <p><b>Compare to active ingredient in Aspercreme®</b></p> <p><b>NET WT 2.5 OZ (71 g)</b></p> <p>NOT ACTUAL SIZE</p>	<p><b>GOODSENSE®</b></p>  <p>ACTUAL SIZE</p>
---	--	--

## GOOD SENSE PAIN RELIEF ROLL ON

lidocaine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-187
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

<b>AMINOMETHYL PROPANOL</b> (UNII: LU49E6626Q)	
<b>C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER</b> (UNII: 4ZK9VP326R)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)	
<b>DICETYL PHOSPHATE</b> (UNII: 2V6E5WN99N)	
<b>DIMETHICONE 200</b> (UNII: RGS4T2AS00)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-187-02	71 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/27/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/04/2020	

**Labeler** - Geiss, Destin & Dunn, Inc (076059836)