

CHLORASEPTIC CHILDRENS SORE THROAT CHERRY- phenol spray
Prestige Brands Holdings, Inc.

Chloraseptic Childrens Sore Throat Spray Cherry

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral pain reliever

Uses

for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.

**When using this product,
do not exceed recommended dose.**

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **Adults and children 3years of age and older**
- Apply to the affected area (one spray)

- Allow to remain in place for at least 15 seconds, then spit out
- Use every 2 hours or as directed by a doctor or dentist
- **Children under 12 years of age** should be supervised in the use of this product
- **Children under 3** years of age, consult a doctor or dentist

Other information

- store between 20°-25°C (68°- 77°F)
- do not refrigerate

Inactive ingredients

alcohol, FD&C red #40, flavor, glycerin, purified water, sodium saccharin anhydrous

Principal Display Panel

Chloraseptic
 children's
 Sore Throat
 safe for 3+
 Fast acting relief
 cherry-licious
 6 FL OZ (177 mL) SPRAY

<p>NOTE: NO TEXT OR IMAGE IN THIS AREA. THIS AREA TO REMAIN BLANK.</p> <p>32mm x mm</p> <div style="border: 1px solid red; padding: 2px; font-size: 8px;"> <p>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.</p> </div> <p style="font-size: 8px;">Dist. by Medtack Products Inc. Smytown, NY 10991 A Procter Consumer Healthcare company</p> <p style="font-size: 8px;">©2024 Trade dress is owned by Procter & Gamble</p> <p style="font-size: 8px;">25.635mm x 21.765mm</p> <p style="font-size: 8px;">PLD-A317B SE000840 6 78112 000888 3</p>	<p style="font-size: 8px;">Phenol / Oral pain reliever</p>	<p>NOTE: NO TEXT OR IMAGE IN THIS AREA. THIS AREA TO REMAIN BLANK.</p> <table border="1" style="width: 100%; font-size: 8px;"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td style="width: 60%;">Active ingredient</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Phenol 1.4%</td> <td>Oral pain reliever</td> </tr> <tr> <td colspan="2">Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.</td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.</td> </tr> <tr> <td colspan="2">When using this product do not exceed recommended dosage.</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor or dentist if <ul style="list-style-type: none"> ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops </td> </tr> <tr> <td colspan="2">Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2">Children 3 years of age and older:</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ Apply to the affected area (one spray). ■ Allow to remain in place for at least 15 seconds, then spit out. ■ Use every 2 hours or as directed by a doctor or dentist. </td> </tr> <tr> <td colspan="2">Children under 12 years of age should be supervised in the use of this product.</td> </tr> <tr> <td colspan="2">Children under 3 years of age: consult a doctor or dentist.</td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ do not refrigerate. </td> </tr> <tr> <td colspan="2">Inactive ingredients alcohol, FD&C red #40, flavor, glycerin, purified water, sodium saccharin anhydrous</td> </tr> <tr> <td colspan="2">Questions? 1-800-552-7932 Chloraseptic.com</td> </tr> </table>	Drug Facts		Active ingredient	Purpose	Phenol 1.4%	Oral pain reliever	Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.		Warnings		Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.		When using this product do not exceed recommended dosage.		Stop use and ask a doctor or dentist if <ul style="list-style-type: none"> ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops 		Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Directions		Children 3 years of age and older:		<ul style="list-style-type: none"> ■ Apply to the affected area (one spray). ■ Allow to remain in place for at least 15 seconds, then spit out. ■ Use every 2 hours or as directed by a doctor or dentist. 		Children under 12 years of age should be supervised in the use of this product.		Children under 3 years of age: consult a doctor or dentist.		Other information		<ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ do not refrigerate. 		Inactive ingredients alcohol, FD&C red #40, flavor, glycerin, purified water, sodium saccharin anhydrous		Questions? 1-800-552-7932 Chloraseptic.com	
Drug Facts																																						
Active ingredient	Purpose																																					
Phenol 1.4%	Oral pain reliever																																					
Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.																																						
Warnings																																						
Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.																																						
When using this product do not exceed recommended dosage.																																						
Stop use and ask a doctor or dentist if <ul style="list-style-type: none"> ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops 																																						
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.																																						
Directions																																						
Children 3 years of age and older:																																						
<ul style="list-style-type: none"> ■ Apply to the affected area (one spray). ■ Allow to remain in place for at least 15 seconds, then spit out. ■ Use every 2 hours or as directed by a doctor or dentist. 																																						
Children under 12 years of age should be supervised in the use of this product.																																						
Children under 3 years of age: consult a doctor or dentist.																																						
Other information																																						
<ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ do not refrigerate. 																																						
Inactive ingredients alcohol, FD&C red #40, flavor, glycerin, purified water, sodium saccharin anhydrous																																						
Questions? 1-800-552-7932 Chloraseptic.com																																						

CHLORASEPTIC CHILDRENS SORE THROAT CHERRY

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-930
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KOOR)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-930-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/20/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	06/20/2024	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 7/2024

Prestige Brands Holdings, Inc.