

**COUGH RELIEF NIGHTTIME- dextromethorphan hydrobromide, doxylamine succinate liquid
Best Choice (Valu Merchandisers Company)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

Purposes

Cough suppressant

Antihistamine

Uses

temporarily relieves cold symptoms

- cough
- runny nose and sneezing

Warnings

Do not use

- to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a sodium-restricted diet
- asthma
- emphysema
- glaucoma
- chronic bronchitis
- excessive phlegm (mucus)
- breathing problem
- persistent or chronic cough
- cough associated with smoking
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not use more than directed**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- redness or swelling is present
- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately

Directions

- **take only as recommended**
- mL = milliliter
- do not exceed 4 doses per 24 hours
- use dosage cup provided

age	dose
adults & children 12 years & over	30 mL every 6 hours
children 4 to 11 years	do not use unless directed by a doctor
children under 4 years	do not use

- **When using DayTime and Nighttime products, carefully read each label to ensure correct dosing**

Other information

- **each 30 mL contains;** sodium 36 mg
- store at room temperature

Inactive ingredients

alcohol, citric acid, FD&C blue 1, FD&C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS OF VICKS® NYQUIL® COUGH* NIGHTTIME COUGH RELIEF

DEXTROMETHORPHAN HBr 30 mg COUGH SUPPRESSANT

DOXYLAMINE SUCCINATE 12.5 mg ANTIHISTAMINE

RELIEVES

- COUGH
- SNEEZING
- RUNNY NOSE

CHERRY FLAVOR

FOR AGES 12 YEARS AND OVER

ALCOHOL 10%

ALL NIGHT COUGH RELIEF

FL OZ (mL)

*This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademark Vicks® NyQuil® Cough.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP
OR UNDER CAP IS BROKEN OR MISSING.**

Failure to follow these warnings could result in serious consequences.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

Product Label

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions • take only as recommended • mL = milliliter
 • do not exceed 4 doses per 24 hours • use dosage cup provided

age	dose
adults and children 12 years and over	30 mL every 6 hours
children 4 to 11 years	do not use unless directed by a doctor
children under 4 years	do not use

• when using Day Time and Night Time products, carefully read each label to ensure correct dosing

Other information • each 30 mL contains: sodium 36 mg
 • store at room temperature

Inactive ingredients alcohol, citric acid, FD&C blue 1, FD&C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® NyQuil® Cough.



PROUDLY DISTRIBUTED BY:
 VALU MERCHANDISERS, CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106

PLD-A289A
 LB004509




BEST CHOICE

PARENTS:
 Learn about teen medicine above
www.StopMedicineAbuse.org

COMPARE TO THE ACTIVE INGREDIENTS
 IN VICKS® NYQUIL® COUGH*



**NIGHTTIME
 COUGH
 RELIEF**



DEXTROMETHORPHAN HBr 30 mg.....COUGH SUPPRESSANT
 DOXYLAMINE SUCCINATE 12.5 mg..... ANTIHISTAMINE

RELIEVES

- COUGH
- SNEEZING
- RUNNY NOSE

FOR AGES
 12 YEARS
 AND OVER

CHERRY FLAVOR
 8 FL OZ (237 mL)

ALCOHOL 10%
 ALL NIGHT COUGH RELIEF

Failure to follow these warnings could result in serious consequences.

Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg.....Cough suppressant
 Doxylamine succinate 12.5 mg.....Antihistamine

Purposes

Uses temporarily relieves cold symptoms
 • cough • runny nose and sneezing

Warnings

Do not use • to make a child sleepy • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • a sodium-restricted diet

- asthma • emphysema • glaucoma • chronic bronchitis
- excessive phlegm (mucus) • breathing problems
- persistent or chronic cough • cough associated with smoking
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product • do not use more than directed

- excitability may occur, especially in children
- marked drowsiness may occur • avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- redness or swelling is present • new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

Best Choice Nighttime Cough Relief Cherry Flavor

COUGH RELIEF NIGHTTIME

dextromethorphan hydrobromide, doxylamine succinate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-345
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-345-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/29/2016	
2	NDC:63941-345-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/29/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	02/29/2016	

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 11/2016

Best Choice (Valu Merchandisers Company)