

MENSTRUAL PAIN RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated
Walgreen Company

Walgreens 44-390 Menstrual Pain Relief

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- fatigue
- bloating
- headache
- water-weight gain
- cramps
- backache
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water

- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED[†]

Compare to the active ingredients in
Midol® Complete^{††}

NDC 0363-3900-22

Menstrual Pain Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Multi-Symptom Aspirin Free Caplets

- Relieves cramps, bloating, fatigue, headaches & backaches

48 CAPLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

[†]Our pharmacists recommend the
Walgreens brand. We invite you to
compare to national brands.

^{††}This product is not manufactured or
distributed by Bayer HealthCare LLC,
owner of the registered trademark
Midol® Complete.

DISTRIBUTED BY: **WALGREEN CO.**
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
 walgreens.com ©2021 Walgreen Co.
 50844 REV0623A39022

W30RGMWY-F
REV-1223

Drug Facts (continued)

Directions

- do not take more than directed
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments? 1-800-426-9391

how2recycle.info

PAPER **PLASTIC** **BOX** **BOTTLE**

ITEM 586559 W00000-0000-0
3 11917 21273 9

TRAUSER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts (continued)

■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

50844 REV0623A39022

walgreens.com ©2021 Walgreen Co.

100% SATISFACTION GUARANTEED

DEERFIELD, IL 60015

DISTRIBUTED BY: WALGREEN CO.

Midol® Complete.

Walgreens brand. We invite you to compare to national brands.

This product is not manufactured or distributed by Bayer Healthcare LLC.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg	Pain reliever
Caffeine 60 mg	Diuretic
Pyriminamine maleate 15 mg	Antihistamine

Uses for the temporary relief of these symptoms associated with menstrual periods:

- fatigue
- bloating
- headache
- water-weight gain
- cramps
- backache
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itching
- blistering
- swelling

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma

B-2201 -390-22-HR
REV0623A39022

Walgreens

Compare to the active ingredients in Midol® Complete*

Menstrual Pain Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Multi-Symptom Aspirin Free Caplets

Relieves cramps, bloating, fatigue, headaches & backaches

48 CAPLETS

ACTUAL SIZE

MENSTRUAL PAIN RELIEF

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:0363-3900
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)			CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)			PYRILAMINE MALEATE	15 mg
Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I3O)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYDEXTROSE (UNII: VH2XOU12IE)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIACETIN (UNII: XHX3C3X673)				
Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	44;390	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-3900-22	1 in 1 CARTON	04/29/2002	
1		48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-3900-10	1 in 1 CARTON	04/29/2002	03/01/2025
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-3900-21	2 in 1 CARTON	04/29/2002	02/18/2021

3	8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2002	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-3900)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-3900) , pack(0363-3900)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-3900)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-3900)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-3900)

Revised: 1/2026

Walgreen Company