

CALCIUM GLUCONATE- calcium gluconate injection, solution
Durvet

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CALCIUM GLUCONATE 23% SOLUTION
FOR USE IN ANIMALS ONLY

ACTIVE INGREDIENTS:
Each 500 mL Contains:

Calcium Gluconate.....23% w/v

(provides 10.71 g of Calcium* per 500 mL)

Water for Injectionq.s

*Present as salts or boryl esters of gluconic acid.

INDICATIONS:

For use in cattle as an aid in treating uncomplicated milk fever (parturinet paresis).

Store between 15°C - 30°C (59°F - 86°F).

KEEP OUT OF REACH OF CHILDREN

DOSAGE AND ADMINISTRATION:

For intravenous administration only.

Cattle - 250-500 mL

Dosage may be repeated at 8 to 12 hour intervals in required.

TAKE TIME OBSERVE LABEL DIRECTIONS

NDC 30798-853-17

Sterile Solution

ISS24XB11

RMS: 92-330

Lot No. Exp. Date

NET CONTENTS:
500 mL (16.9 FL. OZ.)

Manufactured for:

DURVET, INC.

Blue Springs, MO 64014
www.durvet.com

Bottled in the U.S.A.

NOTE:

Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

FOR USE IN ANIMALS ONLY

INDICATIONS:

For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

DOSAGE & ADMINISTRATION:

For intravenous administration only.

Cattle - 250-500 mL


Dosage may be repeated at 8 to 12 hour intervals if required.

CAUTION:

Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

NOTE:

Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.



KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Each 500 mL Contains:

Calcium Gluconate 23% w/v
(provides 10.71 g of Calcium* per 500 mL)

Water for Injectionq.s

*Present as salts or boryl esters of gluconic acid.

Store between 15°C - 30°C (59°F - 86°F).

Bottled in the U.S.A.

ISS24XB11 RMS 92-330
Manufactured for:
DURVET, INC.
Blue Springs, Missouri 64014
www.durvet.com



Lot No.

Exp. Date

CALCIUM GLUCONATE

calcium gluconate injection, solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-853
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-853-17	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/18/2025	

Labeler - Durvet (056387798)

Revised: 7/2025

Durvet