

TIGERHERBS NATURAL HEALING CREAM- bed sore cream ointment

Shenzhen Yao Yu Technology Co., LTD

Page.1



Tigerherbs®

Natural Healing Ointment

Reduce Pain/Accelerate Healing & Regeneration Recovery/Prevent Infection

Effective for sores, ulcers, scrapes, cuts, burns, chafing, boils, thorns, bites, skin infections, etc.

【Active Ingredients】

Salvia Miltiorrhiza Whole 3%, Lonicera Japonica Flower 3%
-----Wound Healing

【Inactive Ingredients】

Reishi, Angelica Sinensis Root, Morus Alba Root Bark, Propolis, Beeswax, Oatmeal, Sesame Oil.

【Direction】

Apply a thin layer to the affected area and massage gently as soon as possible after minor injury.
Apply 2-3 times a day as needed or as directed by your health care professional.

【Warnings】

For external use only.
When using this product avoid contact with eyes or other sensitive areas. Do not bandage tightly.
Stop using and ask a doctor if your condition worsens/does not improve/excessive skin irritation occurs for more than 7 days.
Keep out of reach of children to avoid accidental ingestion.
If swallowed, get medical help or contact a Poison Control Center immediately.

【Other information】

Store at room temperature. Do not use if inner seal is broken or missing. May stain fabrics.

Made in China / Distributed by:
Shenzhen Yao Yu Technology Co., LTD. Shenzhen, Guangdong 518000, China
www.tigerherbs.shop

Page.2

ES

Tigerherbs Ungüento Natural para la Curación

Reduce el dolor/Acelera la curación y la regeneración/Previene infecciones

Eficaz para heridas abiertas, úlceras, raspaduras, cortes, quemaduras, rozaduras, forúnculos, espinas, picaduras, infecciones cutáneas, etc.

【Ingredientes activos】

Salvia miltiorrhiza (entera) 3 %, Flor de Lónica japonesa 3%
-----Cicatrización de heridas

【Ingredientes inertes】

Reishi (Ganoderma), Raíz de ángelica china, Corteza de raíz de morero blanco, Propóleo, Cera de abeja, Avena en polvo, Aceite de sésamo, etc.

【Modo de empleo】

Aplice una capa delgada en la zona afectada y masajee suavemente lo antes posible después de una lesión leve. Aplique 2-3 veces al día según necesidad o según las indicaciones de su profesional de la salud.

【Advertencias】

Uso externo únicamente. Al usar este producto, evite el contacto con los ojos u otras zonas sensibles. No vendar demasiado ajustado. Deje de usar y consulte a un médico si su condición empeora / no mejora / aparece irritación cutánea excesiva durante más de 7 días. Mantener fuera del alcance de los niños para evitar ingestión accidental. Si se ingiere, busque ayuda médica o contacte a un Centro de Control de Venenos de inmediato.

【Otros datos】

Almacenar a temperatura ambiente. No usar si el sello interno está roto o faltante. Puede manchar tejidos.

Hecho en China/Distribuido por:
Shenzhen Yao Yu Technology Co., LTD. Shenzhen, Guangdong 518000, China
www.tigerherbs.shop

Page.3

FR

Tigerherbs Crème de Guérison Naturelle

Réduit la douleur/Accélère la guérison et la régénération/Prévient les infections

Efficace sur les ulcères, les écorchures, les coupures, les brûlures, les frottements, les furoncles, les épines, les piqûres, les infections cutanées, etc.

【Ingrédients actifs】

Sauge miltiorrhize (entière) 3 %, Fleur de Lonicère japonaise 3%
-----Cicatrisation des plaies

【Ingrédients inertes】

Ganoderme (Reishi), Racine d'angélique chinoise, Écorce de racine de mûrier blanc. Propolis. Cire d'abeille. Avoine en poudre.

Page.4

DE

Tigerherbs Natürliches Heilsalve

Schmerzen lindern/Heilung und Regeneration beschleunigen/Infektionen vorbeugen

Wirkungsvoll bei Wunden, Geschwüren, Kratzern, Schnitten, Verbrennungen, Reibungen, Furunkeln, Stacheln, Bissen, Hautinfektionen usw.

【Wirkstoffe】

Salvia miltiorrhiza(ganz)3%, Japanische Heckenkirsche(Blüte)3%
-----Wundheilung

【Hilfsstoffe】

Reishi (Ganoderma), Chinesische Engelwurz (Wurzel), Weißer Maulbeerbaum (Wurzelrinde). Propolis. Bienenwachs. Hafermehl.

racine de manéridon, propolis, cire d'abeilles, nitrate de potassium,
Huile de sésame, etc.

【Mode d'emploi】

Appliquez une fine couche sur la zone affectée et massez doucement dès que possible après une petite blessure. Appliquez 2 à 3 fois par jour selon les besoins ou sur recommandation de votre professionnel de santé.

【Mises en garde】

Usage externe uniquement. Lors de l'utilisation de ce produit, évitez tout contact avec les yeux ou autres zones sensibles. Ne pansez pas étroitement. Arrêtez l'utilisation et consultez un médecin si votre état empire / ne s'améliore pas / si une irritation cutanée excessive se produit pendant plus de 7 jours. Tenir hors de la portée des enfants pour éviter une ingestion accidentelle. En cas d'ingestion, obtenez immédiatement des soins médicaux ou contactez un centre anti-poison.

【Autres informations】

Conserver à température ambiante. Ne pas utiliser si le sceau intérieur est rompu ou manquant. Peut tacher les tissus.

Fabriqué en Chine/Distribué par:
Shenzhen Yao Yu Technology Co., LTD. Shenzhen, Guangdong
518000, Chine
www.tigerherbs.shop

Wundsalbe (Wundmittel), Propolis, Bienenwachs, Maneridon,
Sesamöl, etc.

【Anwendungsanleitung】

Nach einer leichten Verletzung so schnell wie möglich eine dünne Schicht auf die betroffene Stelle auftragen und sanft einmassieren. Nach Bedarf oder gemäß Anweisung Ihres Gesundheitsprofis 2–3 Mal täglich auftragen.

【Warnhinweise】

Nur für äußeren Gebrauch. Beim Gebrauch dieses Produkts Kontakt mit Augen oder anderen empfindlichen Bereichen vermeiden. Nicht eng verbinden. Wenn sich Ihr Zustand verschlechtert / nicht verbessert / übermäßige Hautreizung länger als 7 Tage andauert, die Anwendung beenden und einen Arzt konsultieren. Vor unbeabsichtigter Einnahme außerhalb der Reichweite von Kindern aufbewahren. Bei versehrter Einnahme sofort medizinische Hilfe suchen oder eine Giftnotrufzentrale kontaktieren.

【Weitere Informationen】

Bei Raumtemperatur lagern. Nicht verwenden, wenn die innere Dichtung beschädigt oder fehlt. Kann Gewebe einfärben.

Hergestellt in China/Vertrieben von:
Shenzhen Yao Yu Technology Co., LTD. Shenzhen, Guangdong
518000, China
www.tigerherbs.shop

Apply a thin layer to the affected area and massage gently as soon as possible after minor injury.

Apply 2-3 times a day as needed or as directed by your health care professional.

For external use only.

When using this product avoid contact with eyes or other sensitive areas. Do not bandage tightly.

Stop using and ask a doctor if your condition worsens/does not improve/excessive skin irritation occurs for more than 7 days.

Keep out of reach of children to avoid accidental ingestion.

If swallowed, get medical help or contact a Poison Control Center immediately.

Reishi, Angelica Sinensis Root, Morus Alba Root Bark, Propolis Wax, Beeswax, Oatmeal, Sesame Oil, etc.

Usage instructions

Wounds: Wash and dry the affected area, apply a thin layer of Tigerherbs ointment over the affected area, cover with a clean bandage, repeat 1-2 times daily.

Skin ulcers: Wash, remove dead tissue, apply an ample amount of Tigerherbs ointment over the affected area, cover with a clean bandage, repeat 1-2 times daily.

Diabetic wounds: Wash, remove dead tissue (debridement), apply an ample amount of Tigerherbs ointment over the affected area, cover with a clean bandage, repeat 1-2 times daily. Keep pressure off.

Precautions for medication use

Always ensure the wound is clean and dry before applying or changing Tigerherbs ointment.

Wound dressings protect the wound from contamination and infection, and they absorb and remove exudation during the healing process. Dressings may consist of one or more layers depending on the wound condition. Generally, the more exudation, the thicker the dressing required.

Do not use heat lamps or drying agents such as alcohol, as they dry out the wound and may damage fragile new tissue.

It is generally not recommended to use strong antiseptic agents (such as hydrogen peroxide, acetic acid, and others) for wound cleaning unless under a doctor's supervision. Elderly patients often heal more slowly, and these agents can delay healing even further.

Do not massage the skin around or on ulcers, as this can cause further damage. Do not use donut-shaped or ring-shaped cushions, since they reduce blood flow to the area and may worsen sores.

Remove or change dressings before they dry out.

Care for healthy skin by keeping it clean and moisturized. Check your skin daily for pressure sores. Ask your caregiver or a trusted person to check areas you cannot see yourself.

Eat a healthy diet. Good nutrition helps with healing. Maintain a healthy weight and get plenty of sleep.

Ask your doctor if gentle stretching or light exercise is appropriate for you, as this can help improve circulation.

Keep out of reach of children to avoid accidental ingestion.

Use for sores, ulcers, scrapes, cuts, burns, chafing, boils, thorns, bites, skin infections, etc.

Bed & Pressure sores:

Stage 1: This is the mildest stage. These pressure sores only affect the upper layer of the skin.

Symptoms: Pain, burning, or itching are common symptoms. The spot may also feel different from the surrounding skin-firmer or softer, warmer or cooler.

Treatment: Apply Tigerherbs ointment lightly to the red area 3-4 times a day. Do not massage. The sore may heal in as little as 2-3 days.

Stage 2: This stage occurs when the sore extends deeper below the surface of the skin

Symptoms: The skin is broken, leaving an open wound, or it may look like a pus-filled blister. The area is swollen, warm, and/or red. The sore may ooze clear fluid or pus, and it is painful.

Treatment: Apply a thin layer (2-3 mm) of Tigerherbs ointment to the affected skin. For optimal results, cover with a thin bandage and change it every 12 hours. Clean with saline solution and dry before each change (clean the surrounding skin first, then the wound; see illustration in Step 1 and Step 2).

Recovery time: A Stage 2 pressure sore should heal within 3 days to 3 weeks.

Stage 3: These sores extend through the second layer of skin into the fat tissue.

Symptoms: The sore looks like a crater and may have a foul odor. Signs of infection can include red edges, pus, odor, heat, and/or drainage. Dead tissue in or around the sore may appear black.

Recovery time: A Stage 3 pressure sore typically takes at least one month, and up to four months, to heal.

Stage 4: These are the most serious pressure sores. Some may even affect muscles, ligaments, or bone.

Symptoms: The sore is deep and large. The skin may have turned black and shows signs of infection-such as red edges, pus, odor, heat, and/or drainage. In severe cases, tendons, muscles, or bone may be visible.

Treatment: Stage 3-4 sores require more intensive care. Proper cleaning is especially important. Clean the surrounding area with saline solution, then use appropriate wound cleaners depending on the symptoms and appearance of the wound.

Recovery time: A Stage 4 pressure sore may take three months to several years to heal.

The design plan for the outer packaging of the product samples.





TIGERHERBS NATURAL HEALING CREAM

bedsore cream ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87108-101
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y) (LONICERA JAPONICA FLOWER - UNII:4465L2WS4Y)	LONICERA JAPONICA FLOWER	3 g in 100 g
SALVIA MILTIORRHIZA WHOLE (UNII: 714783Y9Z0) (SALVIA MILTIORRHIZA WHOLE - UNII:714783Y9Z0)	SALVIA MILTIORRHIZA WHOLE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SESAME OIL (UNII: QX10HYY4QV)	
REISHI (UNII: TKD8LH0X2Z)	
OATMEAL (UNII: 8PI54V663Y)	
MORUS ALBA ROOT BARK (UNII: SV6B76DK9N)	
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
BEESWAX (UNII: 2Z A36H0S2V)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	

Product Characteristics

Color	green	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87108-101-02	25 g in 1 BOX; Type 0: Not a Combination Product	05/11/2026	
2	NDC:87108-101-03	100 g in 1 BOX; Type 0: Not a Combination Product	05/11/2026	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	05/11/2026	

Labeler - Shenzhen Yao Yu Technology Co., LTD (510623626)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Yao Yu Technology Co., LTD.		510623626	label(87108-101) , pack(87108-101) , manufacture(87108-101)

