

SODIUM BICARBONATE 10GR (650MG)- sodium bicarbonate tablet
Pharmaceutica North America, Inc.

Active ingredient (in each tablet)

Sodium bicarbonate 10 gr (650 mg)

Purpose

Antacid

Uses

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have a sodium restricted diet.

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- **adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other information


- **each tablet contains:** sodium 178 mg
- store in a dry place at 15° - 30°C (59° - 86°F).

Inactive Ingredients

croscarmellose sodium, microcrystalline cellulose, silica, stearic acid, talc.

Questions or comments? (888)788-6472

Product label


NDC: 45861-081-10

Sodium Bicarbonate

10 gr (650 mg)

Antacid

1000 Tablets

Drug Facts

Active Ingredient (in each tablet)
Sodium bicarbonate 10 gr (650 mg)

Uses relieves ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms


Warnings
Ask a doctor before use if you have a sodium restricted diet
Ask a doctor or pharmacist before use if you are taking a prescription drug.
Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than 2 weeks
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of accidental overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions
■ do not use the maximum dosage for more than 2 weeks
■ tablets may be swallowed whole or dissolved in water prior to use
■ adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
■ adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other Information
each tablet contains: sodium 178 mg
store in a dry place at 15° - 30°C (59° - 86° F)

Inactive Ingredients
croscarmellose sodium, microcrystalline cellulose, silica, stearic acid, and talc

Questions or comments?
(888)788-6472



Manufactured For:
Pharmaceutical North America, Inc.
Glendale, CA 91205

SODIUM BICARBONATE 10GR (650MG)

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45861-081
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:L4YR4M0NH37)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white (Off White)	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45861-081-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/01/2025	

Labeler - Pharmaceutica North America, Inc. (962739699)

Revised: 3/2025

Pharmaceutica North America, Inc.